



Oregon State Restricted Bridges List Emergency Vehicles



(revised 5/13/2026)

Changes since the last revision are shown in bold below.

List of all bridges with restrictions for Emergency Vehicles (EV) on the Interstate and within one road mile.

- Maximum Gross Weight on single steer axle not to exceed 24,000 pounds.
- Maximum Gross Weight on single drive axle not to exceed 33,500 pounds.
- Maximum Gross Weight on tandem rear drive steer axles not to exceed 52,000 pounds.
- Maximum Gross Weight on tandem axles not to exceed 62,000 pounds.
- Maximum Gross Weight not to exceed 86,000 pounds.

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-5 Overpass	EB and WB	16.70	Mountain Ave. crossing over I-5.	Ashland	EV2 – 48,000 EV3 – 66,000
I-5 Connector	EB and WB	21.21	West Valley View state connector road crossing over I-5.	Ashland	EV3 – 76,000
I-5 Frontage	NB and SB	158.35	Lees Creek Lane crossing over Curtis Creek Bridge.	Yoncalla	EV3 – 78,000
I-5 Overpass	EB and WB	169.25	Hawley Road crossing over I-5.	Cottage Grove	EV3 – 72,000
I-5	SB	174.74	I-5 crossing over Row River Road.	Cottage Grove	EV3 – 80,000
I-5 Overpass	EB and WB	182.06	Market Road crossing over I-5.	Creswell	EV3 – 64,000
I-5 Overpass	EB and WB	184.24	Dale Kuni Road crossing over I-5.	Creswell	EV3 – 82,000
I-5	NB and SB	202.05	I-5 crossing over culvert north of Wilkins Road.	Eugene	EV3 – 80,000
I-5	NB and SB	235.01	I-5 crossing Truax Creek Bridge 0.6 mile north of OR99E.	Albany	EV3 – 58,000
I-5 Overpass	EB and WB	243.53	Ankeny Hill Road crossing over I-5.	Jefferson	EV2 – 54,000 EV3 – 76,000
I-5 Frontage	NB and SB	244.86	Miller Creek frontage road crossing over culvert on Sunnyside Road near OR164 junction.	Jefferson	EV3 – 72,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-5 Frontage	NB and SB	245.87	Miller Creek frontage road crossing over culvert on Sunnyside Road 1 mile north of OR164 junction.	Jefferson	EV3 – 72,000
I-5 Frontage	NB and SB	245.87	Miller Creek frontage road crossing over culvert on Enchanted Way 1 mile north of OR164 junction.	Jefferson	EV3 – 76,000
I-84	EB and WB	1.82	I-84 crossing over Doernbecher Access Road 1.8 miles east of PCC.	Portland	EV3 – 74,000
I-84 Connector	WB	6.59	102 nd Ave. state connector road crossing over railroad tracks prior to entering I-84 WB.	Portland	EV3 – 54,000
I-84 Crossover	EB and WB	6.73	102 nd Ave. crossing over I-84.	Portland	EV3 – 54,000
I-84 Connector	WB	28.05	Bridal Veil state connector road crossing over I-84.	Bridal Veil	EV3 – 60,000
I-84 Connector	EB and WB	28.09	Bridal Veil state connector road crossing over railroad tracks.	Bridal Veil	EV3 – 80,000
I-84 Frontage	EB	41.57	I-84 EB Exit 41 frontage road to Eagle Creek Lane.	Cascade Locks	EV2 – 40,000 EV3 – 50,000
I-84 Frontage	EB and WB	46.06	E Cascade Locks Frontage Road crossing over Herman Creek.	Cascade Locks	EV3 – 72,000
I-84	WB	63.41	I-84 crossing over railroad tracks.	Hood River	EV3 – 78,000
I-84	EB and WB	87.45	I-84 crossing over railroad tracks 1.7 miles east of The Dalles.	The Dalles	EV3 – 76,000
I-84	EB and WB	97.45	I-84 crossing over railroad tracks 13.7 miles east of The Dalles.	Celilo Park	EV3 – 74,000
I-84	EB	109.02	I-84 crossing over railroad tracks.	Rufus	EV3 – 84,000
I-84 Frontage	EB and WB	109.71	Biggs-Rufus frontage road crossing over Gurkin Canyon Creek 0.24 mile west of Exit 109.	Rufus	EV3 – 78,000
I-84	WB	109.78	I-84 WB crossing Scott Canyon Bridge.	Rufus	EV2 – 52,000 EV3 – 72,000
I-84	EB	109.95	I-84 EB crossing over Rufus Interchange.	Rufus	EV3 – 78,000
I-84	WB	109.95	I-84 WB crossing over Rufus Interchange.	Rufus	EV3 – 78,000
I-84 Frontage	EB and WB	239.45	Old Emigrant Hill frontage road crossing over Meacham Creek and railroad tracks.	Meacham	EV3 – 56,000
I-84 Frontage	EB and WB	251.37	Old Emigrant Hill frontage road crossing over Dry Creek.	Hilgard	EV3 – 60,000
I-84 Frontage	EB and WB	253.45	Five Point Creek frontage road on the north side of interstate crossing Five Points Creek.	Hilgard	EV2 – 28,000 EV3 – 46,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-405 Connector	SB	0.53	I-405 connector to I-5 SB crossing over SW Water Ave. on the West Marquam Interchange.	Portland	EV3 – 72,000
I-405 Connector	NB and SB	1.14	I-405 connector from Taylor Street SB crossing over I-405 0.1 mile south of Morrison Street.	Portland	EV3 – 72,000
I-405 Connector	SB	2.66	I-405 connector to Burnside and 15th crossing over 16th Ave./Couch Street on-ramp.	Portland	EV2 – 42,000 EV3 – 58,000
US20	EB and WB	39.34	US20 crossing Marys River Bridge and railroad tracks.	Blodgett	EV3 – 74,000
US20	EB and WB	45.68	US20 crossing over Harris Road and railroad tracks.	Wren	EV3 – 82,000
US20	EB and WB	48.88	US20 crossing Noon Bridge over Marys River.	Philomath	EV3 - 82,000
US20 Connector	EB	55.86	US20 EB connector to OR99W NB crossing over OR99W SB.	Corvallis	EV3 - 70,000
US20	EB	10.44	US20 EB crossing Willamette River Bridge, Water Ave. and railroad tracks.	Albany	EV3 – 82,000
US20	WB	13.56	US20 WB crossing over Lebanon Ditch (Lebanon Santiam).	Lebanon	EV3 – 78,000
US20	EB and WB	14.06	US20 crossing over Mountain States Power Canal.	Lebanon	EV3 – 78,000
US20	EB and WB	42.29	US20 crossing Wolf Creek Bridge.	Cascadia	EV3 – 80,000
US20	EB and WB	19.82	US20 crossing over canal.	Bend	EV2 – 40,000 EV3 – 54,000
US20	EB and WB	185.62	US20 crossing over Kingsbury Gulch.	Juntura	EV3 – 66,000
US20	EB and WB	203.30	US20 crossing Black Canyon Creek Bridge.	Juntura	EV3 – 66,000
US26	EB and WB	4.40	US26 crossing Necanicum River Bridge.	Seaside	EV3 – 78,000
US26	EB and WB	5.85	US26 crossing Lindsley Creek Bridge.	Seaside	EV2 – 56,000 EV3 – 76,000
US26	EB and WB	7.07	US26 crossing North Fork Necanicum River Bridge.	Seaside	EV3 – 70,000
US26	EB and WB	21.73	US26 crossing Nehalem River Bridge and OR103.	Elsie	EV3 – 70,000
US26	EB and WB	24.23	US26 crossing North Fork Quartz Creek Bridge.	Elsie	EV2 – 52,000 EV3 – 72,000
US26	EB and WB	24.47	US26 crossing South Fork Quartz Creek Bridge.	Elsie	EV3 – 80,000
US26	EB and WB	34.92	US26 crossing North Fork Wolf Creek Bridge.	Timber	EV3 – 70,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US26	EB and WB	37.88	US26 crossing Nehalem River Bridge.	Timber	EV3 – 74,000
US26	EB and WB	45.31	US26 crossing West Fork Dairy Creek Bridge.	Buxton	EV3 – 56,000
US26	WB	55.72	US26 WB crossing over railroad tracks.	North Plains	EV3 – 74,000
US26	EB and WB	68.34	US26 crossing over Cedar Hills Blvd.	Portland	EV2 – 34,000 EV3 – 48,000
US26	EB and WB	0.10	US26 as Kelly Ave. crossing over Arthur St. viaduct.	Portland	EV3 – 62,000
US26 Connector	WB	0.58	US26 WB connector to OR99W SB crossing over US26 EB and Grover Street.	Portland	EV3 – 64,000
US26	EB and WB	115.58	US26 crossing over North Unit Canal.	Madras	EV2 – 52,000 EV3 – 54,000
US26	EB and WB	170.49	US26 crossing Indian Creek Bridge.	Prairie City	EV2 – 56,000 EV3 – 76,000
US26	EB and WB	170.62	US26 crossing John Day River Bridge.	Prairie City	EV3 – 72,000
US26	EB and WB	174.96	US26 crossing Dixie Creek Bridge.	Prairie City	EV2 – 40,000 EV3 – 54,000
US30	EB and WB	10.77	US30 crossing over Sauvie Island partial viaduct.	Burlington	EV3 – 66,000
US30	EB and WB	11.23	US30 crossing over railroad tracks.	Burlington	EV2 – 40,000 EV3 – 56,000
US30	EB and WB	36.47	US30 crossing Tide Creek Bridge.	Deer Island	EV3 – 48,000
US30 Frontage	EB and WB	36.47	Tide Creek frontage road crossing over Tide Creek.	Deer Island	EV3 – 48,000
US30	EB and WB	53.05	US30 crossing Beaver Creek Bridge.	Rainier	EV2 – 46,000 EV3 – 64,000
US30	EB and WB	55.29	US30 crossing Lost Creek Bridge.	Delena	EV3 – 82,000
US30	EB and WB	70.71	US30 crossing Plympton Creek Bridge.	Clatskanie	EV3 – 68,000
US30	EB and WB	0.46	US30 crossing Burnt River Bridge 4.7 miles north of Huntington.	Huntington	EV3 – 54,000
US30 Bypass	EB and WB	0.28	US30 Bypass crossing over private driveway.	Portland	EV3 – 70,000
US30 Bypass	EB and WB	0.91	US30 Bypass crossing St. Johns Bridge over the Willamette River.	Portland	EV2 – 50,000 EV3 – 50,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US30 Bypass	EB and WB	12.43	US30 Bypass crossing over NE 122 nd Ave.	Portland	EV2 – 44,000 EV3 – 60,000
US30 Highway #100	EB and WB	0.03	Historic Columbia River Highway crossing over the Sandy River south of Lewis and Clark Recreation Site.	Troutdale	EV2 – 40,000 EV3 – 40,000
US30 Highway #100	EB and WB	11.93	Historic Columbia River Highway crossing Latourell Creek.	Latourell	EV3 – 56,000
US30 Highway #100	EB and WB	13.14	Historic Columbia River Highway crossing Young Creek Bridge (west of Shepperd's Dell Falls).	Bridal Veil	EV2 – 34,000 EV3 – 38,000
US30 Highway #100	EB and WB	14.17	Historic Columbia River Highway crossing Bridal Veil Creek Bridge.	Bridal Veil	EV2 – 42,000 EV3 – 58,000
US30 Highway #100	EB and WB	17.68	Historic Columbia River Highway crossing West Multnomah Falls viaduct.	West Multnomah Falls	EV2 – 22,000 EV3 – 22,000
US30 Highway #100	EB and WB	18.21	Historic Columbia River Highway crossing East Multnomah Falls viaduct.	East Multnomah Falls	EV2 – 44,000 EV3 – 62,000
US30 Highway #100	EB and WB	20.39	Historic Columbia River Highway crossing Horsetail Creek Bridge.	Dodson	EV2 – 50,000 EV3 – 70,000
US30 Highway #100	EB and WB	57.28	Historic Columbia River Highway crossing Rock Creek Bridge.	Mosier	EV2 – 56,000 EV3 – 54,000
US30 Highway #100	EB and WB	57.84	Historic Columbia River Highway crossing Mosier Creek Bridge 0.31 mile east of Exit 69.	Mosier	EV3 – 66,000
US30 Highway #100	EB and WB	63.15	Historic Columbia River Highway crossing Hog Creek Canyon Bridge.	Rowena	EV3 – 70,000
US30 Highway #100	EB and WB	63.79	Historic Columbia River Highway crossing Dry Canyon Creek Bridge.	Rowena	EV2 – 46,000 EV3 – 62,000
US95	NB and SB	10.98	US95 crossing Cow Creek Bridge.	Sheaville	EV3 – 70,000
US95	NB and SB	52.97	US95 crossing Owyhee River Bridge.	Rome	EV2 – 46,000 EV3 – 62,000
US97	NB and SB	-0.43	US97 crossing Sam Hill Memorial Bridge (Biggs Rapids Bridge).	Biggs Junction	EV3 – 82,000
US97	NB and SB	275.03	US97 crossing over Link River and Main Street state connector road.	Klamath Falls	EV3 – 82,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US101	NB and SB	2.41	US101 crossing Astoria-Megler River Bridge over the Columbia River and over US30.	Astoria	EV2 – 54,000 EV3 – 74,000
US101	NB and SB	4.91	New Youngs Bay Bridge crossing Youngs River.	Astoria	EV2 – 54,000 EV3 – 76,000
US101	NB and SB	22.48	US101 crossing Dooley Creek Bridge over Shangri La Creek.	Seaside	EV3 – 72,000
US101	NB and SB	39.53	US101 crossing Sam Reed Bridge over Necarney Creek.	Short Sands Beach	EV2 – 48,000 EV3 – 66,000
US101	NB and SB	40.58	US101 crossing over Neahkahnie half viaduct.	Manzanita	EV3 – 70,000
US101	NB and SB	40.65	US101 crossing over Neahkahnie half viaduct.	Manzanita	EV3 – 70,000
US101	NB and SB	40.66	US101 crossing over Neahkahnie half viaduct.	Manzanita	EV3 – 70,000
US101	NB and SB	40.71	US101 crossing over Neahkahnie Mountain Chasm.	Manzanita	EV3 – 70,000
US101	NB and SB	40.75	US101 crossing over Neahkahnie half viaduct.	Manzanita	EV3 – 70,000
US101	NB and SB	40.78	US101 crossing over Neahkahnie half viaduct.	Manzanita	EV3 – 70,000
US101	NB and SB	40.86	US101 crossing over Neahkahnie half viaduct.	Manzanita	EV3 – 70,000
US101	NB and SB	49.23	US101 crossing Crescent Lake Bridge (Lake Lytle Outlet) over Crescent Creek.	Rockaway	EV3 – 60,000
US101	NB and SB	71.18	US101 crossing Fawcett Creek Bridge.	Tillamook	EV3 – 82,000
US101	NB and SB	76.64	US101 crossing Tiger Creek Bridge.	Tillamook	EV3 – 68,000
US101	NB and SB	77.53	US101 crossing West Beaver Creek Bridge.	Beaver	EV2 – 56,000 EV3 – 54,000
US101	NB and SB	79.61	US101 crossing Beaver Creek Bridge.	Beaver	EV3 – 56,000
US101	NB and SB	80.32	US101 crossing Beaver Creek Bridge.	Beaver	EV2 – 56,000 EV3 – 60,000
US101	NB and SB	85.01	US101 crossing Three Rivers Bridge.	Hebo	EV3 – 78,000
US101	NB and SB	88.68	US101 crossing Clear Creek Bridge.	Cloverdale	EV3 – 76,000
US101	NB and SB	118.20	US101 crossing Schooner Creek Bridge over Siletz River.	Lincoln City	EV3 – 72,000
US101	NB and SB	120.20	US101 crossing Siletz River Bridge.	Kernville	EV2 – 52,000 EV3 – 72,000
US101	NB and SB	127.61	US101 crossing Depoe Bay Bridge.	Depoe Bay	EV3 – 70,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US101	NB and SB	141.67	US101 crossing Yaquina Bay Bridge.	Newport	EV3 – 72,000
US101	NB and SB	168.40	US101 crossing Cummins Creek Bridge.	Yachats (Neptune Beach)	EV3 – 82,000
US101	NB and SB	178.35	US101 crossing Cape Creek Bridge.	Heceta Head	EV3 – 58,000
US101	NB and SB	190.98	US101 crossing Siuslaw River Bridge.	Florence	EV2 – 50,000 EV3 – 60,000
US101	NB and SB	196.94	US101 crossing Siltcoos River Bridge.	Westlake	EV2 – 54,000 EV3 – 76,000
US101	NB and SB	211.21	US101 crossing Umpqua River Bridge and McIntosh Slough.	Reedsport	EV3 – 80,000
US101	NB and SB	213.23	US101 crossing over Ranch Road.	Reedsport	EV3 – 80,000
US101	NB and SB	233.09	US101 crossing Coos Bay Causeway over Haynes Inlet.	Coos Bay	EV2 – 50,000 EV3 – 68,000
US101	NB and SB	282.10	US101 crossing Fourmile Creek Bridge.	Bandon	EV3 – 66,000
US101	NB and SB	286.61	US101 crossing Morton Creek Bridge.	Langlois	EV3 – 84,000
US101	NB and SB	311.40	US101 crossing Reinhart Creek Bridge.	Port Orford - Ophir	EV2 – 52,000 EV3 – 72,000
US101	NB and SB	327.70	US101 crossing Isaac Lee Patterson Bridge (Wedderburn Bridge) over Rogue River.	Gold Beach	EV3 – 64,000
US101	NB and SB	347.78	US101 crossing Thomas Creek Bridge.	Brookings	EV3 – 68,000
US197	NB and SB	0.76	US197 crossing over State Road and railroad tracks.	The Dalles	EV3 – 84,000
US197	NB and SB	45.84	US197 crossing Deschutes River Bridge and railroad tracks.	Maupin	EV3 – 60,000
US199	NB and SB	2.95	US199 crossing over Sand Creek culvert.	Grants Pass	EV2 – 46,000 EV3 – 56,000
US199 Frontage	NB and SB	7.10	Slate Creek frontage road crossing Slate Creek.	Wilderville	EV2 – 42,000 EV3 – 58,000
US199	NB and SB	14.17	US199 crossing Slate Creek Bridge.	Wilderville	EV3 – 74,000
US199	NB and SB	14.28	US199 crossing Slate Creek Bridge.	Wilderville	EV3 – 70,000
US199	NB and SB	14.32	US199 crossing Butcherknife Creek Bridge.	Wilderville	EV3 – 78,000
US199	NB and SB	18.15	US199 crossing Anderson Creek Bridge.	Selma	EV3 – 66,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US199	NB and SB	19.28	US199 crossing Anderson Creek Bridge.	Selma	EV3 – 82,000
US199	NB and SB	26.80	US199 crossing Holton Creek Bridge.	Kerby	EV3 – 66,000
US199	NB and SB	40.87	US199 crossing Dwight Creek Bridge.	O'Brien	EV3 – 76,000
US395	NB and SB	6.60	US395 crossing over "A"-Line Canal.	Hermiston	EV3 – 84,000
US395	NB and SB	6.84	US395 crossing over railroad tracks.	Hermiston	EV2 – 50,000 EV3 – 70,000
US395	NB and SB	10.60	US395 crossing over USRS Feed Canal.	Stanfield	EV3 – 80,000
US395	NB and SB	17.44	US395 crossing West Fork Creek Birch Bridge.	Pilot Rock	EV3 – 78,000
US395	NB and SB	15.27	US395 crossing East Fork Creek Birch Bridge.	Pilot Rock	EV3 – 76,000
US395	NB and SB	98.31	US395 crossing Smith Creek Bridge.	Fox	EV3 – 84,000
US395	NB and SB	110.20	US395 crossing Beech Creek Bridge.	Beech Creek	EV3 – 68,000
US395	NB and SB	118.28	US395 crossing Beech Creek Bridge.	Mt Vernon	EV2 – 46,000 EV3 – 64,000
US395	NB and SB	125.52	US395 crossing Crooked Creek Bridge in Chandler State Park.	Valley Falls	EV2 – 52,000 EV3 – 58,000
US395	Nand and SB	125.80	US395 crossing Crooked Creek Bridge in Chandler State Park.	Valley Falls	EV3 – 66,000
US730	EB and WB	182.60	US730 crossing Umatilla River Bridge.	Umatilla	EV2 – 44,000 EV3 – 56,000
US730	EB and WB	183.70	US730 crossing over railroad tracks.	Umatilla	EV3 – 80,000
US730	EB and WB	197.80	US730 crossing over Juniper Point half viaduct.	Umatilla	EV3 – 56,000
US730	EB and WB	199.03	US730 crossing Juniper Canyon Creek Bridge.	Umatilla	EV3 – 80,000
OR6	EB and WB	11.80	OR6 crossing Wilson River Bridge.	Tillamook	EV3 – 66,000
OR6	EB and WB	38.65	OR6 crossing Gales Creek Bridge.	Gales Creek	EV2 – 50,000 EV3 – 68,000
OR6	EB and WB	48.35	OR6 crossing West Fork Dairy Creek overflow.	Banks	EV3 – 76,000
OR7	NB and SB	31.01	OR7 crossing Deer Creek Bridge.	Phillips Lake	EV3 – 66,000
OR8	EB and WB	14.31	OR8 crossing Dairy Creek Bridge.	Hillsboro	EV3 – 60,000
OR11	NB and SB	30.75	OR11 crossing Little Walla Walla River Bridge.	Milton-Freewater	EV3 – 56,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR18	EB and WB	0.04	OR18 crossing over US101.	Otis	EV3 – 64,000
OR18	EB and WB	3.96	OR18 crossing Bear Creek Bridge.	Otis	EV3 – 44,000
OR18	EB and WB	5.34	OR18 crossing Slick Rock Creek Bridge.	Rose Lodge	EV3 – 60,000
OR18	EB and WB	6.23	OR18 crossing Salmon River Bridge.	Rose Lodge	EV2 – 54,000 EV3 – 56,000
OR18	EB and WB	18.78	OR18 crossing Rogue River Bridge.	Grand Ronde	EV3 – 70,000
OR18	EB and WB	33.21	OR18 crossing over culvert just west of railroad tracks.	Sheridan	EV2 – 52,000 EV3 – 44,000
OR18	EB and WB	51.57	OR18 crossing Yamhill River Bridge.	Dayton	EV2 – 56,000 EV3 – 78,000
OR19	NB and SB	79.03	OR19 crossing Mule Shoe Creek Bridge.	Service Creek	EV2 – 52,000 EV3 – 70,000
OR19	NB and SB	81.85	OR19 crossing Juniper Creek Bridge.	Service Creek	EV3 – 80,000
OR19	NB and SB	89.19	OR19 crossing Snabel Creek Bridge.	Spray	EV3 – 70,000
OR19	NB and SB	105.60	OR19 crossing North Fork John Day River Bridge.	Kimberly	EV2 – 48,000 EV3 – 66,000
OR19	NB and SB	124.12	OR19 crossing Rock Creek Bridge.	Picture Gorge	EV3 – 60,000
OR22	EB and WB	1.47	OR22 crossing Cedar Creek Bridge.	Hebo	EV3 – 56,000
OR22	EB and WB	4.43	OR22 crossing Three Rivers Bridge.	Hebo	EV3 – 82,000
OR22	EB and WB	5.81	OR22 crossing Alder Creek Bridge.	Castle Rock	EV3 – 58,000
OR22	EB and WB	7.19	OR22 crossing Buck Creek Bridge.	West of Dolph	EV3 – 58,000
OR22	EB and WB	7.32	OR22 crossing Alder Creek Bridge.	West of Dolph	EV2 – 52,000 EV3 – 54,000
OR22	EB and WB	10.49	OR22 crossing Louie Creek Bridge.	Dolph	EV3 – 68,000
OR22	EB and WB	10.66	OR22 crossing Louie Creek Bridge.	Dolph	EV2 – 36,000 EV3 – 50,000
OR22	EB and WB	18.57	OR22 crossing South Yamhill River Bridge.	Grand Ronde	EV3 – 60,000
OR22	EB and WB	21.85	OR22 crossing Agency Creek Bridge.	Grand Ronde	EV3 – 64,000
OR22	EB and WB	3.97	OR22 crossing Gooseneck Creek Bridge.	Buell	EV3 – 64,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR22	EB and WB	4.71	OR22 crossing Mill Creek Bridge.	Buell	EV3 – 74,000
OR22	EB and WB	8.38	OR22 crossing Salt Creek Bridge.	Dallas	EV3 – 54,000
OR22	WB	25.43	OR22 WB crossing over OR221 SB.	West Salem	EV3 – 78,000
OR22 Ramp	WB	25.91	OR22 WB Ramp from OR99E Bus NB.	Salem	EV3 – 72,000
OR22	EB	6.45	OR22 EB as Mission Street on-ramp crossing over 13 th St and railroad tracks.	Salem	EV2 – 40,000 EV3 – 54,000
OR22	WB	6.45	OR22 WB as Mission Street off-ramp crossing over railroad tracks and Shelton Ditch.	Salem	EV2 – 42,000 EV3 – 58,000
OR22	EB and WB	23.28	OR22 crossing Little North Fork Santiam River Bridge.	Mehama	EV3 – 72,000
OR22	EB and WB	47.69	OR22 crossing Tumble Creek Bridge.	Detroit	EV2 – 46,000 EV3 – 64,000
OR22	EB and WB	54.09	OR22 crossing Boulder Creek Bridge.	Idanha	EV3 – 78,000
OR22	EB and WB	65.48	OR22 crossing Minto Creek Bridge.	Marion Forks	EV3 – 52,000
OR27	NB and SB	2.88	OR27 crossing over irrigation canal.	Prineville	EV3 – 54,000
OR27	NB and SB	6.32	OR27 crossing Dry Creek Bridge.	Prineville	EV2 – 52,000 EV3 – 72,000
OR27	NB and SB	19.62	OR27 crossing over Crooked River Dam spillway.	Bowman Dam	EV2 – 56,000 EV3 – 58,000
OR27	NB and SB	28.67	OR27 crossing Bear Creek Bridge.	Bowman Dam	EV3 – 74,000
OR34	EB and WB	4.67	OR34 crossing Southworth Creek Bridge.	Waldport	EV2 – 42,000 EV3 – 60,000
OR34	EB and WB	5.85	OR34 crossing Calapooia overflow.	Tangent	EV3 – 78,000
OR34	EB and WB	5.91	OR34 crossing Calapooia overflow.	Tangent	EV3 – 78,000
OR34	EB and WB	6.71	OR34 crossing Arnold Creek Bridge.	Waldport	EV2 – 42,000 EV3 – 58,000
OR34	EB and WB	7.06	OR34 crossing Alsea River Bridge.	Waldport	EV3 – 74,000
OR34	EB and WB	14.22	OR34 crossing Scott Creek Bridge.	Tidewater	EV3 – 62,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR34	EB and WB	43.03	OR34 crossing N Fork Alsea River Bridge.	Alsea	EV2 – 40,000 EV3 – 54,000
OR34	EB and WB	54.53	OR34 crossing Rock Creek Bridge.	Philomath	EV3 – 68,000
OR34	EB and WB	58.43	OR34 crossing Flynn Bridge over Mary's River.	Philomath	EV3 – 64,000
OR34	EB and WB	5.91	OR34 crossing Calapooia River overflow.	Tangent	EV3 – 78,000
OR34	EB and WB	7.80	OR34 crossing over Tangent Industrial Park Access.	Tangent	EV2 – 44,000 EV3 – 60,000
OR35	EB and WB	68.23	OR35 crossing East Fork Hood River Bridge.	North of Bennett Pass Summit	EV3 – 66,000
OR36	EB and WB	10.55	OR36 crossing Indian Creek Bridge.	Swiss Home	EV3 – 80,000
OR36	EB and WB	29.38	OR36 crossing Lake Creek Bridge.	Triangle Lake	EV3 – 78,000
OR36	EB and WB	29.51	OR36 crossing Lake Creek overflow.	Triangle Lake	EV3 – 78,000
OR36	EB and WB	37.86	OR36 crossing Long Tom River Bridge.	Low Pass	EV3 – 74,000
OR36	EB and WB	48.36	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB and WB	48.78	OR36 crossing unnamed creek.	Cheshire	EV3 – 54,000
OR36	EB and WB	50.16	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB and WB	50.36	OR36 crossing unnamed creek.	Cheshire	EV3 – 56,000
OR36	EB and WB	50.62	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB and WB	51.29	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR39	EB and WB	3.25	OR39 crossing over Altamont USRS Canal.	Klamath Falls	EV3 – 66,000
OR39	EB and WB	12.21	OR39 crossing Lost River Bridge.	Merrill	EV3 – 82,000
OR42	EB and WB	0.57	OR42 crossing Davis Slough.	Coos Bay	EV3 – 78,000
OR42	EB and WB	4.14	OR42 crossing over railroad tracks.	Coos Bay	EV3 – 62,000
OR42	EB and WB	5.34	OR42 crossing Beaver Creek Bridge.	Coaledo	EV3 – 84,000
OR42	EB and WB	19.8	OR42 crossing overflow channel.	Myrtle Point	EV3 – 80,000
OR42	EB and WB	40.77	OR42 crossing Middle Fork Coquille River Bridge.	Remote	EV3 – 78,000
OR42	EB and WB	63.97	OR42 crossing Tenmile Creek Bridge.	Tenmile	EV3 – 70,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR42	EB and WB	74.47	OR42 crossing South Umpqua River Bridge.	Green	EV2 – 56,000 EV3 – 70,000
OR43	NB and SB	4.00	OR43 crossing Riverside Canyon partial viaduct.	Portland	EV3 – 82,000
OR43	SB	6.77	OR43 SB crossing Oswego Creek Bridge.	Lake Oswego	EV3 – 68,000
OR43	NB	6.82	OR43 NB crossing Oswego Creek partial viaduct.	Lake Oswego	EV3 – 82,000
OR43	NB and SB	11.43	OR43 crossing Oregon City Arch Bridge over the Willamette River.	Oregon City	EV2 – 50,000 EV3 – 56,000
OR46	EB and WB	2.19	OR46 crossing Chapman Creek Bridge.	Cave Junction	EV3 – 76,000
OR47	NB and SB	57.14	OR47 crossing East Fork Nehalem River Bridge.	Pittsburg	EV3 – 76,000
OR47	NB and SB	61.28	OR47 crossing Nehalem River Bridge.	Vernonia	EV2 – 48,000 EV3 – 48,000
OR47	NB and SB	64.60	OR47 crossing Beaver Creek Bridge.	Vernonia	EV2 – 42,000 EV3 – 58,000
OR47	NB and SB	69.03	OR47 crossing Beaver Creek Bridge.	Vernonia	EV3 – 78,000
OR47	NB and SB	75.09	OR47 crossing Cummings Creek Bridge over West Fork Dairy Creek.	Buxton	EV3 – 72,000
OR47	NB and SB	86.34	OR47 crossing West Fork Dairy Creek Bridge.	Forest Grove	EV3 – 66,000
OR47	NB and SB	34.71	OR47 crossing Yamhill Creek Bridge.	Yamhill	EV2 – 48,000 EV3 – 66,000
OR53	NB and SB	1.46	OR53 crossing Bergsvik Creek Bridge.	Hamlet	EV2 – 46,000 EV3 – 64,000
OR53	NB and SB	6.50	OR53 crossing Soapstone Creek Bridge.	Nehalem	EV2 – 38,000 EV3 – 62,000
OR53	NB and SB	17.76	OR53 crossing Nehalem River Bridge.	Nehalem	EV3 – 64,000
OR58	EB and WB	0.89	OR58 crossing Coast Fork Willamette River overflow.	Eugene	EV2 – 54,000 EV3 – 74,000
OR58	EB and WB	1.96	OR58 crossing Coast Fork Willamette River relief opening.	Eugene	EV3 – 80,000
OR58	EB and WB	30.76	OR58 crossing Deception Creek Bridge.	Westfir	EV3 – 76,000
OR58 Frontage	EB and WB	31.76	Westfir frontage road crossing over the Willamette River.	Westfir	EV3 – 76,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR62	EB and WB	14.61	OR62 crossing Reese Creek Bridge.	Shady Cove	EV3 – 76,000
OR62	EB and WB	19.81	OR62 crossing Indian Creek Bridge.	Shady Cove	EV3 – 84,000
OR62	EB and WB	35.41	OR62 crossing Peyton Bridge over Rogue River.	Prospect	EV3 – 78,000
OR62	EB and WB	42.45	OR62 crossing over PP&L Canal spillway.	Prospect	EV3 – 72,000
OR62	EB and WB	55.98	OR62 crossing Union Creek Bridge.	Union Creek	EV2 – 52,000 EV3 – 54,000
OR74	NB and SB	45.47	OR74 crossing Hinton Creek Bridge.	Heppner	EV3 – 72,000
OR74	NB and SB	45.99	OR74 crossing Willow Creek Bridge.	Heppner	EV3 – 76,000
OR74	NB and SB	76.68	OR74 crossing Vinson Creek culvert.	Nye	EV2 – 46,000 EV3 – 72,000
OR74	NB and SB	77.45	OR74 crossing over Vinson Creek culvert.	Nye	EV2 – 46,000 EV3 – 70,000
OR78	NB and SB	22.34	OR78 crossing Malheur Slough.	Lawen	EV3 – 82,000
OR86	EB and WB	40.64	OR86 crossing Eagle Creek Bridge.	Richland	EV2 – 52,000 EV3 – 70,000
OR86	EB and WB	55.83	OR86 crossing East Pine Creek Bridge.	Halfway	EV2 – 44,000 EV3 – 56,000
OR99	NB and SB	6.81	OR99 crossing Hill Creek Bridge.	Creswell	EV3 – 74,000
OR99 State Owned	EB and WB	0.07	Stephens Street (old OR99) crossing Deer Creek Bridge north of OR138 junction.	Roseburg	EV3 – 80,000
OR99	NB and SB	0.09	OR99 running in conjunction with OR234 (Highway 271) crossing Rock Creek Bridge over Rogue River.	Gold Hill	EV3 – 62,000
OR99	EB and WB	2.65	OR99 as Gold Hill Spur Highway/2 nd Ave. (Highway 486) crossing over Rogue River near Gold Hill Wayside.	Gold Hill	EV3 – 76,000
OR99	EB and WB	10.83	OR99 crossing Birdseye Creek Bridge.	Gold Hill	EV2 – 44,000 EV3 – 62,000
OR99	EB and WB	11.36	OR99 crossing Foots Creek Bridge.	Gold Hill	EV3 – 82,000
OR99	EB and WB	12.21	OR99 crossing Millers Gulch Bridge.	Gold Hill	EV3 – 84,000
OR99	NB and SB	1.09	OR99 crossing Jackson Creek Bridge.	Central Point	EV3 – 72,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99	NB and SB	2.18	OR99 crossing Griffin Creek Bridge.	Medford	EV3 – 78,000
OR99	NB and SB	8.17	OR99 crossing over irrigation canal.	Medford	EV2 – 40,000 EV3 – 58,000
OR99	NB and SB	14.39	OR99 crossing Wagner Creek Bridge.	Talent	EV3 – 66,000
OR99E	NB and SB	-4.41	OR99E crossing Columbia Slough.	Portland	EV2 – 38,000 EV3 – 62,000
OR99E State Owned	SB	-0.20	NE Martin Luther King Jr Blvd. (old OR99E) crossing over I-84 and railroad tracks.	Portland	EV2 – 50,000 EV3 – 68,000
OR99E	NB and SB	1.59	OR99E crossing over Grand Ave. viaduct.	Portland	EV3 – 76,000
OR99E	NB and SB	5.97	OR99E crossing Kellogg Lake outlet.	Milwaukie	EV2 – 56,000 EV3 – 78,000
OR99E	NB and SB	11.20	OR99E crossing McLoughlin Bridge over Clackamas River.	Gladstone	EV3 – 74,000
OR99E	NB and SB	12.22	OR99E crossing over Water Street partial viaduct.	Oregon City	EV3 – 72,000
OR99E	NB and SB	12.29	OR99E crossing over Water Street viaduct.	Oregon City	EV3 – 72,000
OR99E	NB and SB	13.86	OR99E crossing over Canemah Bluff partial viaduct.	Oregon City	EV3 – 66,000
OR99E	NB and SB	22.03	OR99E crossing Molalla River Bridge.	Canby	EV2 – 56,000 EV3 – 78,000
OR99E	NB and SB	24.67	OR99E crossing Pudding River Bridge.	Canby	EV3 – 68,000
OR99E	NB and SB	24.81	OR99E crossing Pudding River relief channel.	Aurora	EV3 – 54,000
OR99E	SB	27.26	OR99E SB crossing over OR551.	Hubbard	EV3 – 64,000
OR99E	NB and SB	0.69	OR99E crossing Cox Creek Bridge.	Albany	EV2 – 40,000 EV3 – 56,000
OR99E	NB and SB	2.20	OR99E/US20 crossing over 7 th Ave./Jackson Street and railroad tracks.	Albany	EV3 – 70,000
OR99E	NB and SB	4.47	OR99E crossing Oak Creek Bridge.	Albany	EV3 – 82,000
OR99E	NB and SB	10.66	OR99E crossing unnamed creek.	Tangent	EV3 – 56,000
OR99E	NB and SB	10.72	OR99E crossing Calapooia Bottoms Bridge #1.	Tangent	EV3 – 56,000
OR99E	NB and SB	11.19	OR99E crossing Calapooia Bottoms Bridge #2.	Tangent	EV3 – 56,000
OR99E	NB and SB	11.34	OR99E crossing Calapooia River Bridge.	Tangent	EV3 – 56,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99E	NB and SB	11.76	OR99E crossing Calapooia Bottoms Bridge #3.	Tangent	EV3 – 56,000
OR99E	NB and SB	29.27	OR99E crossing John B. Yeon Bridge over the Willamette River.	Harrisburg	EV3 – 66,000
OR99W	NB and SB	-5.50	OR99W crossing over N Victory Blvd. 5.5 miles north of PCC.	Portland	EV3 – 78,000
OR99W Connector	NB	-0.52	OR99W NB state connector / Everett Street on-ramp crossing over Naito Parkway at northwest end of Steel Bridge.	Portland	EV3 – 74,000
OR99W	NB and SB	-0.36	OR99W crossing Steel Bridge over the Willamette River and railroad tracks.	Portland	EV3 – 66,000
OR99W Connector	SB	-0.31	OR99W SB state connector / Glisan Street off-ramp crossing over NW Front Ave. and railroad tracks at northwest end of Steel Bridge.	Portland	EV3 – 66,000
OR99W	NB	-0.14	OR99W NB Steel Bridge on-ramp.	Portland	EV3 – 80,000
OR99W	NB and SB	1.67	OR99W crossing over US26 EB and SW Grover St.	Portland	EV3 – 78,000
OR99W	NB	1.93	OR99W NB crossing over Harbor Dr viaduct.	Portland	EV3 – 72,000
OR99W	NB and SB	3.25	OR99W crossing over Newbury Street viaduct south of OR10 (Capitol Highway).	Portland	EV3 – 68,000
OR99W	NB and SB	3.50	OR99W crossing over Vermont Street viaduct 0.3 mile south of OR10 (Capitol Highway).	Portland	EV3 – 68,000
OR99W	NB and SB	9.21	OR99W crossing railroad tracks.	Tigard	EV2 – 46,000 EV3 – 64,000
OR99W	NB	13.83	OR99W NB crossing Rock Creek Bridge.	Sherwood	EV2 – 50,000 EV3 – 68,000
OR99W	SB	34.96	OR99W SB crossing North Yamhill River Bridge.	McMinnville	EV2 – 42,000 EV3 – 64,000
OR99W	NB and SB	56.33	OR99W crossing Baskett Slough.	Rickreall	EV3 – 70,000
OR99W	NB and SB	62.01	OR99W North Fork Ash Creek Bridge.	Monmouth	EV3 – 66,000
OR99W	NB and SB	71.57	OR99W crossing Soap Creek Bridge.	Suver	EV3 – 78,000
OR99W	NB and SB	79.97	OR99W crossing Jackson Creek Bridge.	Corvallis	EV2 – 46,000 EV3 – 52,000
OR99W	NB	84.14	OR99W NB crossing Marys River Bridge.	Corvallis	EV3 – 62,000
OR99W	SB	84.20	OR99W SB crossing Marys River Bridge.	Corvallis	EV3 – 78,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99W	NB and SB	101.16	OR99W crossing Long Tom River Bridge.	Monroe	EV3 – 72,000
OR99W	NB and SB	105.58	OR99W crossing Cow Creek Bridge.	Junction City	EV3 – 60,000
OR99W	NB and SB	107.30	OR99W crossing Flat Creek Bridge.	Junction City	EV3 – 54,000
OR99W	NB and SB	108.11	OR99W crossing unnamed creek.	Junction City	EV3 – 58,000
OR99W	NB and SB	108.41	OR99W crossing unnamed creek.	Junction City	EV3 – 60,000
OR105	EB and WB	7.10	OR105 crossing over Port of Astoria Beltline.	Astoria	EV2 – 54,000 EV3 – 76,000
OR126	EB and WB	32.40	OR126 crossing Chickahominy Creek Bridge.	Walton	EV3 – 72,000
OR126	EB and WB	51.77	OR126 crossing unnamed bridge.	Eugene	EV3 – 60,000
OR126	WB	1.34	OR126 crossing Main Street bridge over the Willamette River.	Springfield	EV2 – 46,000 EV3 – 64,000
OR126 Right of Way	EB and WB	11.59	OR126 Right of Way crossing overflow ditch at Hendricks Park Road.	East of Springfield	EV3 – 80,000
OR126	EB and WB	18.32	OR126 crossing over Holden Creek culvert.	Leaburg	EV3 – 56,000
OR126	EB and WB	17.26	OR126 crossing Boulder Creek Bridge.	Belknap Springs	EV3 – 76,000
OR126	EB and WB	17.76	OR126 crossing Scott Creek Bridge.	Belknap Springs	EV3 – 82,000
OR126	EB and WB	3.04	OR126 crossing Ochoco North Main Canal.	Redmond	EV3 – 72,000
OR130	EB and WB	3.82	OR130 crossing Austin Creek Bridge.	Upton Falls	EV3 – 62,000
OR130	EB and WB	4.76	OR130 crossing Bear Creek Bridge.	Upton Falls	EV3 – 64,000
OR130	EB and WB	5.11	OR130 crossing Yach Bridge over Little Nestucca River.	Dolph	EV3 – 56,000
OR130	EB and WB	5.97	OR130 crossing Muscott Bridge over Little Nestucca River.	Dolph	EV3 – 56,000
OR130	EB and WB	7.55	OR130 crossing Weed Bridge over Little Nestucca River.	Dolph	EV3 – 62,000
OR131	EB and WB	7.49	OR131 crossing Tillamook River Bridge.	Tillamook	EV3 – 70,000
OR131	EB and WB	8.33	OR131 crossing Trask River (Stillwell) Bridge.	Tillamook	EV2 – 28,000 EV3 – 28,000
OR138	NB and SB	6.32	OR138 crossing Kellogg Bridge over Umpqua River.	Kellogg	EV2 – 54,000 EV3 – 76,000
OR138	NB and SB	12.36	OR138 crossing Yellow Creek Bridge.	Kellogg	EV2 – 56,000 EV3 – 58,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR138	EB and WB	17.86	OR138 crossing Lone Rock Bridge over North Umpqua River.	Glide	EV3 – 82,000
OR138	EB and WB	47.51	OR138 crossing Dry Creek Bridge.	Clearwater	EV3 – 76,000
OR138	EB and WB	50.03	OR138 crossing Marsters Bridge over North Umpqua River.	Clearwater	EV3 – 70,000
OR138	EB and WB	55.97	OR138 crossing Fish Creek Bridge.	Clearwater	EV3 – 64,000
OR140	EB and WB	-7.02	OR140 crossing over multi-use path.	Central Point	EV3 – 66,000
OR140	EB and WB	8.46	OR140 crossing Schoolhouse Creek Bridge.	Brownsboro	EV3 – 72,000
OR140	EB and WB	12.47	OR140 crossing Long Branch Creek Bridge.	Lake Creek	EV3 – 80,000
OR140	EB and WB	54.24	OR140 crossing Fish Hole Creek Bridge.	Bly	EV3 – 80,000
OR140	EB and WB	54.49	OR140 crossing Fish Hole Creek Bridge.	Bly	EV3 – 82,000
OR140	EB and WB	15.41	OR140 crossing Blue Creek Bridge.	Lakeview	EV3 – 80,000
OR140	EB and WB	29.65	OR140 crossing Deep Creek Bridge.	Adel	EV3 – 76,00
OR140	EB and WB	32.78	OR140 crossing Twentymile Creek Bridge.	Adel	EV2 – 54,000 EV3 – 74,000
OR141	NB and SB	12.84	OR141 (SW Elligsen Road) crossing over I-5.	Wilsonville	EV2 – 50,000 EV3 – 68,000
OR154	NB and SB	3.05	OR154 crossing Fulgham Bridge over West Fork Palmer Creek (Farmer River).	Dayton	EV3 – 64,000
OR164	NB and SB	2.64	OR164 crossing Chehulpum Creek Bridge.	Jefferson	EV3 – 78,000
OR164	NB and SB	6.27	OR164 crossing Santiam River Bridge.	Jefferson	EV3 – 68,000
OR164	NB and SB	6.98	OR164 crossing Santiam River overflow.	Jefferson	EV3 – 76,000
OR164	NB and SB	7.12	OR164 crossing Santiam River overflow.	Jefferson	EV3 – 80,000
OR180	EB and WB	7.73	OR180 crossing Randall Creek Bridge.	Nortons	EV2 – 50,000 EV3 – 70,000
OR180	EB and WB	11.81	OR180 crossing Yaquina River Bridge.	Nashville	EV3 – 58,000
OR180	EB and WB	14.70	OR180 crossing Marys River Bridge.	Summit	EV2 – 44,000 EV3 – 60,000
OR194	EB and WB	6.27	OR194 crossing South Fork Ash Creek Bridge.	Monmouth	EV2 – 56,000 EV3 – 78,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR200 State Owned	NB and SB	5.43	Territorial Highway (old OR200) crossing Furguson Creek Bridge.	Monroe	EV2 – 44,000 EV3 – 60,000
OR200 State Owned	NB and SB	18.98	Territorial Highway (old OR200) crossing Long Tom Overflow.	Veneta	EV3 – 72,000
OR202	NB and SB	11.85	OR202 crossing N Fork Klaskanine River.	Olney	EV3 – 56,000
OR202	NB and SB	29.32	OR202 crossing Beneke Creek Bridge.	Jewell	EV3 – 68,000
OR203	NB and SB	15.65	OR203 crossing Little Creek Bridge.	Union	EV3 – 68,000
OR203	NB and SB	9.57	OR203 crossing Catherine Creek Bridge.	East of Union	EV2 – 48,000 EV3 – 68,000
OR206	EB and WB	2.92	OR206 crossing Deschutes River Bridge.	East of Celilo	EV3 – 82,000
OR206	EB and WB	4.76	OR206 crossing Fulton Canyon Bridge.	East of Celilo	EV3 – 78,000
OR206	EB and WB	51.66	OR206 crossing Rock Creek Bridge.	East of Condon	EV3 – 66,000
OR211	EB and WB	21.54	OR211 crossing Canyon Creek Bridge.	Colton	EV3 – 74,000
OR211	EB and WB	33.40	OR211 crossing Clackamas River Bridge.	Estacada	EV2 – 54,000 EV3 – 58,000
OR211	EB and WB	2.08	OR211 crossing Deep Creek Bridge.	Sandy	EV3 – 70,000
OR213 State Owned	SB	2.25	82nd Ave. (old OR213) crossing over I-84 and MAX light rail.	Portland	EV3 – 84,000
OR213	NB and SB	9.67	OR213 crossing Mt. Scott Creek Bridge and railroad tracks.	Clackamas	EV3 – 72,000
OR213	NB and SB	26.91	OR213 crossing Abiqua Creek Bridge.	Silverton	EV3 – 54,000
OR213	NB and SB	27.20	OR213 crossing Evans Creek Bridge.	Silverton	EV2 – 42,000 EV3 – 50,000
OR214	NB and SB	44.15	OR214 crossing Bochsler Creek Bridge.	Mt. Angel	EV3 – 64,000
OR214	NB and SB	44.68	OR214 crossing Zollner Creek Bridge.	Mt. Angel	EV3 - 82,000
OR214	NB and SB	24.92	OR214 crossing South Fork Silver Creek Bridge.	Silver Creek Falls	EV3 – 62,000
OR214	NB and SB	27.36	OR214 crossing North Fork Silver Creek Bridge.	Silver Creek Falls	EV3 – 74,000
OR216	EB and WB	16.79	OR216 crossing Wapinitia Creek Bridge.	Wapinitia	EV2 – 44,000 EV3 – 62,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR217 State Owned	EB and WB	0.92	Walker Road crossing over OR217.	Beaverton	EV3 – 80,000
OR217	NB and SB	1.47	OR217 crossing over OR8.	Beaverton	EV3 – 64,000
OR217	NB and SB	1.76	OR217 crossing over OR10.	Beaverton	EV3 – 68,000
OR217 State Owned	EB and WB	3.02	SW Denney Road crossing over OR217.	Beaverton	EV3 – 82,000
OR219	NB and SB	7.21	OR219 crossing Burris Creek Bridge.	Midway	EV3 – 84,000
OR219	NB and SB	23.07	OR219 crossing Hess Creek Bridge.	Newberg	EV3 – 78,000
OR219	NB and SB	28.54	OR219 crossing Mission Creek Bridge.	St. Paul	EV3 – 84,000
OR219	NB and SB	33.71	OR219 crossing East Champoeg Creek Bridge.	Woodburn	EV3 – 84,000
OR222 State Owned	NB and SB	5.20	Parkway Road (old OR222) crossing Willamette River Bridge.	Jasper	EV3 – 76,000
OR223	NB and SB	2.99	OR223 crossing Rickreall Creek Bridge.	Dallas	EV3 – 74,000
OR223	NB and SB	7.20	OR223 crossing Fern Creek Bridge.	South of Dallas	EV2 – 36,000 EV3 – 52,000
OR223	NB and SB	10.11	OR223 crossing Little Luckiamute River Bridge.	South of Dallas	EV3 – 56,000
OR223	NB and SB	10.56	OR223 crossing Little Luckiamute River overflow.	South of Dallas	EV3 – 60,000
OR223	NB and SB	16.67	OR223 crossing McTimmonds Creek Bridge.	North of Pedee	EV2 – 44,000 EV3 – 60,000
OR223	NB and SB	16.83	OR223 crossing McTimmonds Creek Bridge.	North of Pedee	EV2 – 52,000 EV3 – 72,000
OR223	NB and SB	18.90	OR223 crossing Pedee Creek Bridge.	Pedee	EV2 – 38,000 EV3 – 52,000
OR224	EB and WB	5.20	OR224 crossing over railroad tracks.	Clackamas	EV3 – 82,000
OR224	EB and WB	13.90	OR224 crossing Deep Creek Bridge.	West of Barton	EV2 – 52,000 EV3 – 72,000
OR224	EB and WB	39.15	OR224 crossing Armstrong Bridge over Clackamas River.	South of Estacada	EV3 – 80,000
OR224	EB and WB	44.88	OR224 crossing Whitewater Bridge over Clackamas River.	South of Estacada	EV2 – 42,000 EV3 – 58,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR224	EB and WB	49.96	OR224 crossing Oak Grove Fork Clackamas River Bridge.	Ripplebrook	EV3 – 56,000
OR226	EB and WB	4.93	OR226 crossing Beaver Creek Bridge.	Crabtree	EV3 – 80,000
OR226	EB and WB	5.43	OR226 crossing Beaver Creek overflow.	Crabtree	EV2 – 46,000 EV3 – 60,000
OR226	EB and WB	24.25	OR226 crossing Trask Creek Bridge.	Lyons	EV2 – 40,000 EV3 – 54,000
OR229	NB and SB	20.66	OR229 crossing Ojalla Bridge over Siletz River.	Siletz	EV2 – 42,000 EV3 – 58,000
OR229	NB and SB	23.10	OR229 crossing Fuller Bridge over Siletz River.	Siletz	EV2 – 42,000 EV3 – 58,000
OR229	NB and SB	29.64	OR229 crossing Depot Creek Bridge.	Toledo	EV2 – 50,000 EV3 – 70,000
OR229	NB and SB	30.63	OR229 crossing Depot Creek Bridge.	Toledo	EV2 – 50,000 EV3 – 68,000
OR230	EB and WB	0.58	OR230 crossing Castle Creek Bridge.	Union Creek	EV3 – 80,000
OR230	EB and WB	0.96	OR230 crossing Bybee Creek Bridge.	Union Creek	EV2 – 54,000 EV3 – 74,000
OR230	EB and WB	5.16	OR230 crossing Rogue River Bridge.	Union Creek	EV3 – 78,000
OR234	EB and WB	6.06	OR234 crossing Sams Creek Bridge.	Sams Valley	EV3 – 74,000
OR234	EB and WB	11.86	OR234 crossing over E Fork Snider Creek culvert.	Sams Valley	EV2 – 54,000 EV3 – 58,000
OR234	EB and WB	16.01	OR234 crossing Dodge Bridge over Rogue River.	Eagle Point	EV2 – 54,000 EV3 – 76,000
OR237	EB and WB	9.44	OR237 crossing Catherine Creek Bridge over Grande Ronde River and old river channel.	East of Island City	EV2 – 46,000 EV3 – 64,000
OR237	EB and WB	15.91	OR237 crossing Mill Creek Bridge.	Cove	EV2 – 48,000 EV3 – 66,000
OR237	NB and SB	24.60	OR237 crossing over railroad tracks.	Telocaset	EV3 – 84,000
OR238	EB and WB	35.44	OR238 crossing Jackson Creek Bridge.	Jacksonville	EV3 – 64,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR241	EB and WB	0.51	OR241 crossing Isthmus Slough Bridge.	Coos Bay	EV2 – 48,000 EV3 – 58,000
OR241	EB and WB	3.73	OR241 crossing Chandler Bridge over Coos River.	Coos Bay	EV3 – 66,000
OR241	EB and WB	14.90	OR241 crossing Marlow Creek Bridge.	Allegany	EV2 – 36,000 EV3 – 48,000
OR244	EB and WB	0.03	OR244 crossing Owens Creek Bridge.	Ukiah	EV3 – 80,000
OR245	NB and SB	3.42	OR245 crossing Burnt River Bridge.	Unity Dam	EV2 – 50,000 EV3 – 48,000
OR255	NB and SB	338.33	OR255 crossing Myers Creek Bridge	Gold Beach	EV3 – 78,000
OR260	EB and WB	16.64	OR260 crossing Shan Creek Bridge.	Grants Pass	EV3 – 84,000
OR273	NB and SB	3.63	OR273 crossing over OR273 and railroad tracks.	Ashland	EV2 – 44,000 EV3 – 60,000
OR273	NB and SB	4.70	OR273 crossing over railroad tracks.	Ashland	EV3 – 60,000
OR281	NB and SB	4.95	OR281 crossing Tucker Bridge.	Hood River	EV2 – 50,000 EV3 – 64,000
OR281	NB and SB	12.90	OR281 crossing East Fork Hood River Bridge.	Dee	EV3 – 56,000
OR339	NB and SB	3.16	OR339 crossing East Fork Little Walla Walla River Bridge.	Milton-Freewater	EV2 – 56,000 EV3 – 54,000
OR339	NB and SB	3.31	OR339 crossing West Fork Little Walla Walla River Bridge.	Milton-Freewater	EV2 – 56,000 EV3 – 54,000
OR350	EB and WB	16.05	OR350 crossing Little Sheep Creek Bridge.	Joseph	EV3 – 76,000
OR351	NB and SB	6.52	OR351 crossing East Fork Wallowa River Bridge.	Joseph	EV3 – 84,000
OR370	EB and WB	0.21	OR370 crossing over Pilot Butte Canal.	Redmond	EV3 – 74,000
OR370	EB and WB	3.85	OR370 crossing over Ochoco Main Canal.	Redmond	EV3 – 66,000
OR380	EB and WB	38.48	OR380 crossing North Fork Crooked River Bridge.	Post	EV3 - 70,000
OR380	EB and WB	38.73	OR380 crossing South Fork Crooked River Bridge.	Post	EV3 – 70,000
OR429	NB and SB	2.27	OR429 crossing Crescent Creek Bridge.	Crescent Lake	EV2 – 52,000 EV3 – 72,000
OR501	NB and SB	0.10	OR501 crossing North Fork Alsea River Bridge.	Alsea	EV2 – 52,000 EV3 – 58,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR501	NB and SB	3.65	OR501 crossing Bummer Creek.	Alsea	EV2 – 38,000 EV3 – 52,000
OR540	NB and SB	8.33	OR240 crossing South Slough Drawbridge.	Charleston	EV3 – 78,000
OR542	NB and SB	18.22	OR542 crossing South Fork Coquille River Bridge.	Powers	EV2 – 54,000 EV3 – 74,000