

Appendix 3C: Oregon Traffic Counting Management (OTMS) Program Count Report Guide

The ODOT Oregon Traffic Counting Management (OTMS) program contains many different count types and reports. This guide provides step-by-step instructions on how to obtain traffic count information from the OTMS program in the correct format for a few of the most common types of counts used by the typical analyst: intersection counts, Automatic Traffic Recorder (ATR)/Automatic Vehicle Classifier (AVC) sites, and straightaway volume and classification tube (machine) counts.



OTMS is unable to accept estimated values as previously created for Automatic Traffic Recorder (ATR). If Monthly Average Daily Traffic (MADT) = Monthly Average Day of Week Traffic (MAWDt), then the ATR month was estimated.

Accessing the OTMS website

The OTMS website (<https://ordot.ms2soft.com/tdms.ui/OneLogin/Home?target=%2Ftcds>) is a single point logon for ODOT employees. On the OTMS webpage, click the blue button labeled “Log in with ADFS”.

Log in with ADFS

MS2 Login

username

password

LOG IN WITH MS2

System Status: Ok

[Forgot Password?](#)

By continuing to use this web site, you agree to be bound by the [Terms of Service](#) and the [Web Site Privacy Policy](#)

Public access for consultants/non-ODOT users is located at ordot.public.ms2soft.com/. One of the large differences with the public portal is that only fully accepted data is available. This means, for example, that partial year-to-date information would not be available. Reports and data views may be limited compared to the other way using login access.

Locating Straightaway Counts

Each report type requires the user to find a count before generating the report. Once the OTMS website is accessed, it starts automatically on the straightaway count tab (Home). There are three (3) ways to search for counts; quick search, advanced search, and map search.


Quick Search

Quick Search allows for search by county, community (city), located on (road), location ID (e.g. Site ID), Count Year, or a saved search. The black pins to the right of the county or community boxes allow the user to zoom the map to that city or county.

Note: Make sure to select “Clear All” when you want to make a new search. The search engine keeps previous search attributes active until they are cleared.

The screenshot displays the 'Traffic Count (TCDS)' web application. At the top, there is a navigation bar with a logo for the 'Oregon Traffic Monitoring System' and a title 'Traffic Count (TCDS)'. Below this is a secondary navigation bar with buttons for 'Home', 'Locate', 'Locate All', 'Email This', 'Backup', and an 'Auto-Locate' checkbox. The main content area features a tabbed interface with 'Quick Search' selected. Under the 'Quick Search' tab, there is a form with the following fields: 'County' (text input with a search icon and a location pin), 'Community' (text input with a search icon and a location pin), 'Located On' (text input with a search icon), 'Location ID' (text input with a search icon), 'Count Year' (dropdown menu with 'Select Year' as the current selection), and 'Saved Searches' (dropdown menu with 'Please Choose...' as the current selection). At the bottom of the form are two buttons: 'Search' and 'Clear All'.

A new feature for quick searches allows for one to simply copy and paste a comma-separated list of location IDs directly into the “Location ID” Field.



The image shows a 'Quick Search' form with a blue header. The form contains several input fields and buttons. A blue arrow points to the 'Location ID' field. The fields are: County (text input), Community (text input), Located On (text input), Location ID (text input with a list of locations), Count Year (dropdown menu), and Saved Searches (dropdown menu). There are 'Search' and 'Clear All' buttons at the bottom.

Field	Input
County	Input County
Community	Input Community
Located On	Input Located On
Location ID	location 1, location 2, location 3, location 4
Count Year	Select Year
Saved Searches	Please Choose...

Search **Clear All**

Advanced Search

Advanced Search has been recently updated to allow each in a more in-depth search such as by classification or volume only, permanent (ATR) station, LRS ID, or a count range. Multiple selections are easily viewed to narrow down your search criteria.

A new feature for Advanced Searches allows you to select “Location ID” option, chose “Included in List” from the operator dropdown, and enter the list of location in the “Values” field.

Note: Make sure to select “Clear All” when you want to make a new search. The search engine keeps previous search attributes active until they are cleared.

The screenshot shows the 'Traffic Count (TCDS)' interface. At the top, there's a navigation bar with 'Home', 'Locate', 'Locate All', 'Email This', 'Backup', and 'Auto-Locate: ☐'. Below this is a tabbed interface with 'Quick Search', 'Advanced Search' (selected), 'Map Search', and 'Tools'. The 'Advanced Search' tab contains a 'Choose What To Search By' section with buttons for 'Location ID', 'County', 'Functional Class', 'Rural/Urban', 'Category', 'Perm Station', 'WIM Station', and 'Count'. To the right of these buttons is a 'Selections' section with 'Clear All' and 'Add Group' buttons, and a message 'No search selections have been added' with a 'View All' button. Below the 'Choose What To Search By' section are two dropdown menus: 'Browse All Options' and 'Load Saved Search', both with 'Please Choose...' text. At the bottom, a note states: 'The **Advanced Search** can be used to find locations and data in different ways and tools. For help on how to use the tools, see the online guide found [here](#).'

Map Search

Under the Tools dropdown menu, click TCDS, and then click the TCDS Locations toggle box to turn on all the count locations (TMC counts can also be turned on and searched). The map search tool also allows for selecting counts via polygon or by using a buffer.

List View		All DIRs		Report Center		Save Search		Ad-Hoc Rpts		Graphs/Rpts	
				Load Search		Build Search					
Record ⏮ ⏪ 1 ⏩ ⏭ of 1 Goto Record go											
Location ID	19809 Edit ID					MPO ID					
Type	SPOT					HPMS ID					
On NHS	No					On HPMS	Yes				
LRS ID	3671					LRS Loc Pt.	0.25				
SF Group	10004 ▶					Route Type					
AF Group	13138 ▶					Route					
GF Group	23006 ▶					Active	Yes				
Class Dist Grp	13138 ▶					Category					
Seas Clss Grp	Statewide ▶										
WIM Group											
QC Group	Default										
Funct'l Class	Minor Arterial					Milepost					
Located On	NW Stewart Parkway										
Loc On Alias	3671										
NORTH OF	NW Stewart Park Drive [0.01 miles]										
More Detail ▶											
	NB/SB ▼ Create Direction										

Straightaway Count Reports

Straightaway Truck Summary

Once the site is selected (multiple sites from “List View”), click on Report Center. Report types are listed under categories (Station, Volume, Class, Length, etc.).

Select the appropriate count location.

Quick Search Advanced Search Map Search Tools

Quick Search

County: Input County

Community: Input Community

Located On: Input Located On

Location ID: 10011

Count Year: Select Year

Saved Searches: Please Choose...

Search Clear All

Remember the count year (e.g. 2019) and click “Report Center”.

CLASSIFICATION ?		Graphs/Rpts		
	Date	Int	Total	Status
👁	Tue 8/27/2019	60	20,949	✓
👁	Tue 7/19/2016	60	21,535	✓
👁	Tue 9/24/2013	60	16,756	✓
👁	Wed 9/8/2010	60	18,352	✓

Click on the “Reports” button

Report : None
 Dates : None
 Process : ☒ Immediately ☐ Submit Job (long running reports)

[Home](#)
[Go](#)
[Back](#)

Locations **Reports** Options Output

Location ID = 10011

1 Location(s) Found						1 Location(s) Selected			
Loc ID	County	Community	On	From	To	At	Dir	Alias	☒
10011	Douglas	-	PACIFIC HIGHWAY NO. 1			Glendale Interchange and Barton Road	2-WAY	001	☒
Previous				1	Next				

Then click “FHWA 13-Class” → “Truck Summary Report”.

[Home](#)
[Back](#)

Report : None
 Dates : None
 Delivery : ☒ Immediately ☐ Submit Job (long running reports)
[Go](#)

[Locations](#)
[Reports](#)
[Options](#)
[Output](#)

Station	>
Volume	>
FHWA 13-Class	>
Length	>
Speed	>
WIM	>
HPMS	>
MEPDG	>
Export	>
Admin	>
Top 10 This User	>
Top 10 This Agency	>

Detail Reports
 All Volumes Truck and Vehicle Classification MADT Report (Perm Only)
 Average Daily Traffic by Class by Day of Week by Month
 Class by Hour by Direction Totals
 Class Distribution (24 Hour Average)
 Daily Class by Hour by Direction Totals (Limit 50 Locations)
 Percentage of Vehicles By Class For All Selected Locations (incl. Weekends)
 Percentage of Vehicles By Class For All Selected Locations (Mon-Fri)
 Short Term Class Analysis (50 Stations Max)
 Truck Axle Categories (Perm Only)
 Truck Percent by Time of Day by Direction
Truck Summary Report
 Vehicle Class Count By Year
 Volume by Class - by Direction
 Volume by Class - by Hour by Day (Non-Perm Only)
 Volume by Class - by Hour Total (Weekday Only)
 Volume by Class - by Month
Listing Reports
 Axle Factor by Month (Chart)
 Axle Factors and AADT - Preliminary/Final Comparison
 Class Count Collection by District and Functional Class
 Class Distribution Pattern (Chart)
 Class Distribution Pattern By Location (Chart)

Once the sample report populates, click the “Options” tab. Select the appropriate year. If the year that is needed is not listed, you can type in the year. Click either the “Output” tab or the “Go” button to receive the report.

[Home](#) [Go](#) [Back](#)

[Locations](#) [Reports](#) [Options](#) [Output](#)

Choose Dates
Time Span : 
* Start Date :
* End Date :
* Required Fields

The updated Truck Summary report is ready to be downloaded. Click the save icon to access either an MS Excel, PowerPoint, PDF, TIFF, or CSV file. Files will be downloaded to the download folder on your hard drive.



All Excel Reports exported out of MS2 have extreme merging, formatting, and column arrangements that can cause problems when performing calculations. CSV files are recommended.



Oregon Traffic Monitoring System


MS2
 Transportation Data Management System

Report : Class > Truck Summary Report
 Dates : 1/1/2019 - 12/31/2019
 Process : ☒ Immediately ☐ Submit Job (long running reports)

[Home](#) [Go](#) [Back](#)

[Locations](#) [Reports](#) [Options](#) [Output](#)





Excel
 PowerPoint
 PDF
 TIFF file
 CSV (comma delimited)

Find [Next](#)



Oregon Traffic I
 Truck Summary Report
 Criteria: Loc

Location: PACIFIC HIGHWAY NO. 1
Location ID: 10011
Milepoint: 82.04
Type: I-SECTION

	Start Time	Medium Trucks (Classes 4-5)		All Vehicles	
		NB	SB	NB	SB
08/27/2019	07:00:00	28	37	110	139
	08:00:00	35	34	143	179
	09:00:00	49	72	134	185
	10:00:00	48	70	165	181

Single Count Classification Report

Unless the site number is known, go to Advanced Search and select “Count”. Counts “Of Type” will populate to allow one to choose “Volume, Class, Speed, WIM, or Gap” count. If a specific year is necessary or import range, those can be selected now, along with any other necessary attributes.



Traffic Count (TCDS)

[Home](#)
[Locate](#)
[Locate All](#)
[Email This](#)
[Backup](#)
[Auto-Locate:](#) ☐

[Quick Search](#)
[Advanced Search](#)
[Map Search](#)
[Tools](#)

Choose What To Search By

Select a Frequently Used Option

Location ID

County

Functional Class

Rural/Urban

Category

Perm Station

WIM Station

Count

Browse All Options

Count

Specify Values

Operator

Exists

Counts

Of Type:

In Year:

Class

×

2025

×

Class Type:

Class Type

Start Date:

End Date:

01/01/2025

12/31/2025

Selections

[Clear All](#)
[Add Group](#)

No search selections have been added

[View All](#)

Once chosen, scroll down to the bottom of the screen and click “Add”.

Add

Analysis Procedures Manual Version 2

Traffic Count (TCDS)

Home Locate Locate All Email This Backup Auto-Locate: ☐

Quick Search **Advanced Search** Map Search Tools

Choose What To Search By

Select a Frequently Used Option

Location ID County Functional Class Rural/Urban Category Perm Station WIM Station Count

Browse All Options

Please Choose...

Load Saved Search

Please Choose...

Selections Clear All Add Group

COUNT Exists: class count in 2025

Search

Save Your Search

Search Name

Save

The **Advanced Search** can be used to find locations and data in different ways and tools. For help on how to use the tools, see the online guide found [here](#).

If the list is too large, one can go back and update the search attributes or click “List View” to see a reduced attribute list view.

Traffic Count (TCDS)

Home Locate Locate All Email This Backup Auto-Locate: ☒

List View Ad-Hoc Rpts Graphs/Rpts Report Center

Record Previous 1 Next of 1030 Goto Record go Loc go

Location ID	01001 Edit ID	MPO ID	
Type	SPOT	HPMS ID	
On NHS	No	On HPMS	No

Once the site is chosen, scroll down and click the appropriate count date in the “Classification” section.

CLASSIFICATION
?


Graphs/Rpts

Create Volume Counts

	Date	Int	Total	Status
	Tue 8/15/2017	60	72,784	✓
	Mon 9/22/2014	60	60,791	✓
	Tue 7/19/2011	60	60,203	✓
	Wed 9/10/2008	60	57,212	✓

Click the "eye"

Create



PER VEHICLE

Date	Axles	85th	Total	Status
No Data				

Classification Report

Location ID	11054	Located On	South Fork Burnt River Road	County	Baker
Counted By	TCDS_Combined	WEST OF	Bull Run Road [0.54 miles]	Community	-
Start Date	Tue 9/29/2020	Loc On Alias	3162	Station	11054
Start Time	12:45:00 PM	Direction	2-WAY	Agency	ODOT
Source	Syst_Combine	Sensor Type		Owner	josh.luc
Axle Factor	0.787	Count Status	Accepted		
Import Type	ImportPvToBinCountImport.CLASS	Import			
Filename	11054_200921_PV~3.csv				
Display Interval:	60 Min				
Directions: 2-WAY EB WB ?					
Count Navigation: << < > >> Count Type: CLASS					

FHWA-Scheme F Classification

Start Time	Motor cycle	Car	Pick up	Bus	2A SU	3A SU	>3A SU	<5A 2U	5A 2U	>5A 2U	<6A >2U	6A >2U	>6A >2U		TOTAL
12:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3:00 AM	1	0	0	0	0	0	0	0	1	0	0	0	0	0	2
4:00 AM	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2
5:00 AM	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2
6:00 AM	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
7:00 AM	0	0	5	0	2	0	0	0	0	0	0	0	0	0	7
8:00 AM	0	0	5	0	0	0	0	1	0	0	0	0	0	0	6
9:00 AM	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
10:00 AM	0	1	3	0	0	0	0	1	0	0	0	0	0	0	5
11:00 AM	1	2	3	0	1	0	0	0	1	0	0	0	0	0	8
12:00 PM	1	1	10	0	1	0	0	0	3	0	0	0	0	0	16
1:00 PM	0	3	6	0	0	0	0	3	2	1	0	0	0	0	15
2:00 PM	0	1	5	0	0	0	0	0	1	1	0	0	0	0	8
3:00 PM	0	1	6	0	0	0	0	3	0	0	0	0	0	0	10
4:00 PM	0	1	4	0	1	0	0	0	0	0	0	0	0	0	
5:00 PM	0	3	0	0	2	0	0	0	0	0	0	0	0	0	
6:00 PM	0	0	5	0	1	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	4	0	1	0	0	0	0	0	0	0	0	0	
8:00 PM	0	2	1	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	3	16	59	0	12	0	0	8	8	5	0	0	0	0	111

Count Navigation: << < > >>

[View Calendar](#)

[Bar Graph](#)

[Line Graph](#)

[View in Excel](#)

[Monthly Report](#)

[Weekly Class Report](#)

[Single Count Class Report](#)

Speed Report

Unless the site number is known, go to Advanced Search, click on “Count” and select Speed sites that contain Speed data. Select any other attributes then scroll down and click add.

The screenshot displays the 'Traffic Count (TCDS)' web application. At the top, there is a navigation bar with links: Home, Locate, Locate All, Email This, Backup, and Auto-Locate (checked). Below this is a search bar with tabs for Quick Search, Advanced Search (selected), Map Search, and Tools. The 'Advanced Search' section is active, showing 'Choose What To Search By' with buttons for Location ID, County, Functional Class, Rural/Urban, Category, Perm Station, WIM Station, and Count (selected). A 'Browse All Options' dropdown is set to 'Count'. The 'Specify Values' section includes an 'Operator' dropdown set to 'Exists'. Under 'Counts', the 'Of Type' dropdown is open, showing options: Volume (selected), Class, Speed (highlighted by a mouse cursor), WIM, and Gap. The 'In Year' dropdown is set to 'Year'. The 'End Date' and 'Import End Date' fields are empty, with date format placeholders 'mm/dd/yyyy'.

Once search attributes are selected, click “Search”.

Traffic Count (TCDS)

Home Locate Locate All Email This Backup Auto-Locate: ☒

Quick Search **Advanced Search** Map Search Tools

Choose What To Search By

Select a Frequently Used Option

Location ID County Functional Class Rural/Urban Category Perm Station WIM Station Count

Browse All Options

Please Choose... Search Name

Load Saved Search

Please Choose... Save

Selections Clear All Add Group

COUNT Exists: speed count Search

Save Your Search

The **Advanced Search** can be used to find locations and data in different ways and tools. For help on how to use the tools, see the online guide found [here](#).

If the list is too large, one can go back and update the search attributes or click “List View” to see a reduced attribute list view.

Traffic Count (TCDS)

Home Locate Locate All Email This Backup Auto-Locate: ☒

Ad-Hoc Rpts Graphs/Rpts Report Center

List View

Record 1 of 1030 Goto Record go Loc go

Location ID	01001	MPO ID	
Type	SPOT	HPMS ID	
On NHS	No	On HPMS	No

Scroll down and click the appropriate count date in the “Speed” section.

SPEED ?

Graphs/Rpts

	Date	Int	Pace	85th	Total	Status
	Sun 10/4/2020	15	40 - 50	50	82	✓
	Sat 10/3/2020				124	✓
	Fri 10/2/2020				139	✓
	Thu 10/1/2020	15	40 - 50	49	109	✓
	Wed 9/30/2020	15	35 - 45	48	107	✓
	Tue 9/29/2020	15	35 - 45	46	111	✓
	Mon 9/28/2020	15	40 - 50	49	111	✓
	Sun 9/27/2020	15	40 - 50	49	123	✓
	Sat 9/26/2020	15	40 - 50	49	137	✓
	Fri 9/25/2020	15	40 - 50	52	115	✓

<<

<

>

>>

1-10 of 16

mm/dd/yyyy

To Date

Create

Speed Report

Location ID	11054	Located On	South Fork Burnt River Road	County	Bake
Counted By	TCDS_Combined	WEST OF	Bull Run Road [0.54 miles]	Community	-
Start Date	Tue 9/29/2020	Loc On Alias	3162	Station	11054
Start Time	12:45:00 PM	Direction	2-WAY	Agency	ODO
Source	Syst_Combine	Sensor Type		Owner	josh.l
85thile Speed	46			Pace Speed	35 - 4
Import Type	ImportPvToBinCountImport.SPE				1:01:01 PM
Filename	11054_200921_PV~3.csv				
Display Interval:	60 Min				
Directions:	2-WAY EB WB				
Count Navigation: << < > >> Count Type: SPEED					

Speed Range (mph)	0-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70+	TOTAL
12:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3:00 AM	0	0	0	0	0	2	0	0	0	0	0	0	0	2
4:00 AM	0	0	0	1	1	0	0	0	0	0	0	0	0	2
5:00 AM	0	0	0	1	0	1	0	0	0	0	0	0	0	2
6:00 AM	0	0	0	0	1	0	0	0	0	0	0	0	0	1
7:00 AM	0	0	0	0	1	1	5	0	0	0	0	0	0	7
8:00 AM	0	0	0	0	3	0	1	2	0	0	0	0	0	6
9:00 AM	0	0	0	0	1	2	0	0	1	0	0	0	0	4
10:00 AM	0	0	0	0	0	2	1	2	0	0	0	0	0	5
11:00 AM	0	1	0	1	3	1	1	0	0	1	0	0	0	8
12:00 PM	0	0	1	0	5	5	2	3	0	0	0	0	0	16
1:00 PM	0	0	0	1	2	4	3	4	0	1	0	0	0	15
2:00 PM	0	0	0	0	1	3	3	0	1	0	0	0	0	8
3:00 PM	0	0	0	0	1	3	3	2	1	0	0	0	0	10
4:00 PM	0	0	1	0	0	1	2	2	0	0	0	0	0	6
5:00 PM	0	0	0	0	1	2	0	2	0	0	0	0	0	5
6:00 PM	0	0	0	0	0	1	2	3	0	0	0	0	0	6
7:00 PM	0	0	0	0	1	2	2	0	0	0	0	0	0	5
8:00 PM	0	0	0	0	1	1	1	0	0	0	0	0	0	3
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	1	2	4	22	31	26	20	3	1	0	0	0	111

Count Navigation: << < > >>

View Calendar

Bar Graph

Line Graph

View in Excel

Monthly Report

Short-Term Classification Report

Flag As Abnormal

Gap Report

Unless the site number is known, go to Advanced Search, scroll down and select “Yes” for Filter by Gap to search for sites that contain Gap data.

The screenshot shows the 'Traffic Count (TCDS)' interface. At the top, there's a navigation bar with 'Home', 'Locate', 'Locate All', 'Email This', 'Backup', and 'Auto-Locate: ☒'. Below this is a tabbed interface with 'Quick Search', 'Advanced Search' (selected), 'Map Search', and 'Tools'. The 'Advanced Search' tab is active, showing a 'Choose What To Search By' section with buttons for 'Location ID', 'County', 'Functional Class', 'Rural/Urban', 'Category', 'Perm Station', 'WIM Station', and 'Count' (which is highlighted). A 'Browse All Options' dropdown is set to 'Count'. To the right, a 'Selections' section shows 'No search selections have been added' and a 'View All' button. Below this is a 'Specify Values' section. It includes an 'Operator' dropdown set to 'Exists'. Under 'Counts', there's a table with columns 'Of Type:' and 'In Year:'. The 'Of Type:' dropdown is open, showing options: 'Volume', 'Class', 'Speed', 'WIM', and 'Gap' (which is highlighted by a mouse cursor). The 'In Year:' dropdown is set to 'Year'. There are also fields for 'End Date:' (mm/dd/yyyy) and 'Import End Date:' (mm/dd/yyyy).

Once all the attributes are selected, click “Search”.

Traffic Count (TCDS)

Home Locate Locate All Email This Backup Auto-Locate: ☒

Quick Search **Advanced Search** Map Search Tools

Choose What To Search By

Select a Frequently Used Option

Location ID County

Functional Class Rural/Urban

Category Perm Station

WIM Station Count

Browse All Options

Please Choose...

Load Saved Search

Please Choose...

Selections

Clear All Add Group

COUNT
Exists: gap count

Search

Save Your Search

Search Name

Save

The **Advanced Search** can be used to find locations and data in different ways and tools. For help on how to use the tools, see the online guide found [here](#).

Scroll down and click the appropriate count date in the “Gap” section.

WEIGH-IN-MOTION ?						PER VEH	
	Date	Axles	Avg GVW	Total	Status		Date
No Data							
GAP ?						Graphs/Rpts	
	Date	Int	Total	Status			
	Sun 10/4/2020		81	✓			
	Sat 10/3/2020		123	✓			
	Fri 10/2/2020	15	138	✓			
	Thu 10/1/2020	15	108	✓			
	Wed 9/30/2020	15	106	✓			
	Tue 9/29/2020	15	110	✓			
	Mon 9/28/2020	15	110	✓			
	Sun 9/27/2020	15	122	✓			
	Sat 9/26/2020	15	136	✓			
	Fri 9/25/2020	15	114	✓			
<< < > >> 1-10 of 14 mm / dd / yyyy To Date							

Gap Report

Location ID	11054	Located On	South Fork Burnt River Road	County	Baker
Counted By		WEST OF	Bull Run Road [0.54 miles]	Community	-
Start Date	Tue 9/29/2020	Loc On Alias	3162	Station	11054
Start Time	12:45:00 PM	Direction	2-WAY	Agency	ODOT
Source	ImportPvToGapCount	Sensor Type		Owner	josh.lucas
		Count Status	Accepted		
Import Type	vias_per_vehicle	Imported			
Filename	11054_200921_PV~3.csv				
Display Interval:	60 Min				

Drop down for 15 min or 60 min breakdown

Choose direction

Directions: 2-WAY EB WB

Count Navigation: << < > >>

Count Type: GAP

Gap Range (sec)															
Start Time	0-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26+		TOTAL
12:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3:00 AM	1	0	0	0	0	0	0	0	0	0	0	0	1	0	2
4:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
5:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
7:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	7	0	7
8:00 AM	0	1	0	0	0	0	0	0	0	0	0	0	5	0	6
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	4	0	4
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	5	0	5
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	8	0	8
12:00 PM	0	1	0	0	0	0	0	0	1	0	0	0	13	0	15
1:00 PM	0	0	0	1	0	0	0	0	0	1	0	0	13	0	15
2:00 PM	0	0	0	1	0	0	0	0	0	0	0	0	7	0	8
3:00 PM	1	0	0	0	0	0	0	0	0	0	0	0	9	0	10
4:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	6	0	6
5:00 PM	0	0	0	0	0	0	0	0	0	0	1	0	4	0	5
6:00 PM	0	0	0	0	0	0	0	0					6	0	6
7:00 PM	0	0	0	0	0	0	0	1					4	0	5
8:00 PM	0	0	0	0	0	0	0	0					3	0	3
9:00 PM	0	0	0	0	0	0	0	0					0	0	0
10:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	2	2	0	2	0	0	0	1	1	1	1	0	100	0	110

Export multiple types

Count Navigation: << < > >>

View Calendar

Bar Graph

Line Graph

View in Excel

Short-Term Classification Report

Flag As Abnormal

Edit Count

Volume by Hour by Day of Week (15-min)

Once the site is selected, go to reports and select “Volume” → “Volume by Hour by Day of Week (15-min)”. This report will export volumes by combined and separate directions or by lane.



Oregon Traffic Monitoring System

District : Region 5

County : Baker

Community :

Collection Type :

Roadbed : ML

Location : LA GRANDE-BAKER HIG

Route : 30

Location ID : 01001

Lane Direction : 2-WAY

4/2019																															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	Total
12-1A	3	3	2	3	1	6	6	3	3	1	4	5	3	7	5	3	3	2	4	10	3	3	4	2	7	0	3	1	1	0	101
1-2A	1	1	0	1	2	0	7	3	0	1	0	1	1	1	4	0	1	0	0	0	1	3	3	1	0	0	0	1	2	1	36
2-3A	1	3	0	2	2	0	2	2	2	1	2	1	2	2	2	2	3	0	4	2	0	3	2	1	1	1	1	1	6	2	56
3-4A	4	3	4	7	6	2	0	4	6	4	4	4	0	0	2	2	1	3	3	2	1	2	4	6	2	5	0	0	4	6	91
4-5A	11	8	12	9	10	1	3	9	3	9	6	5	7	4	12	8	8	7	5	5	0	7	7	9	11	7	3	2	12	8	208
5-6A	19	19	20	18	14	4	1	19	26	22	24	12	5	5	18	20	26	21	9	8	3	28	17	18	16	21	5	1	21	25	465
6-7A	45	51	54	43	34	20	7	45	46	39	38	38	12	10	42	45	46	34	31	18	13	43	36	47	43	23	23	9	45	40	1,020
7-8A	60	76	67	75	44	31	10	64	68	77	69	48	42	12	65	74	80	78	54	26	22	79	92	81	77	58	34	9	81	81	1,734
8-9A	53	54	77	68	64	39	14	65	55	56	60	52	34	25	60	60	60	72	64	36	25	65	66	78	63	58	49	22	57	60	1,611
9-10A	40	59	51	60	58	46	28	44	37	40	32	64	45	33	42	66	60	56	64	49	34	60	50	49	51	66	55	37	50	56	1,482
10-11A	49	47	65	62	49	41	36	64	52	40	70	65	42	37	49	59	61	54	68	55	48	61	64	46	53	65	54	54	65	73	1,648
11-12A	58	51	55	85	62	57	60	49	54	46	46	66	61	54	57	52	44	60	65	63	74	46	54	54	51	70	59	56	50	50	1,709
12-1P	44	54	65	78	64	40	53	62	51	47	49	65	58	61	63	52	62	55	73	61	69	68	62	57	54	69	54	49	64	60	1,763
1-2P	58	58	71	71	72	46	48	52	54	66	47	58	48	42	56	65	63	69	76	68	71	63	80	48	74	67	65	42	83	60	1,841
2-3P	62	64	71	61	58	52	38	68	46	58	61	72	62	63	64	72	70	70	73	82	75	65	65	67	73	71	52	54	79	72	1,940
3-4P	79	70	74	64	62	67	46	78	73	73	83	67	81	49	81	68	83	73	56	86	61	71	67	85	77	76	49	46	62	73	2,080
4-5P	87	86	79	78	73	37	52	75	80	71	77	68	56	52	80	89	87	95	91	54	78	83	110	86	99	100	55	49	88	77	2,292
5-6P	68	70	68	106	90	51	36	76	67	66	77	73	56	45	77	70	99	101	77	77	57	81	84	68	77	80	62	59	77	53	2,148
6-7P	39	47	44	64	57	27	37	48	38	35	48	54	43	27	38	38	47	56	72	71	68	48	41	56	63	47	50	31	44	49	1,427
7-8P	21	25	31	39	35	32	28	26	21	33	31	48	32	25	24	42	39	45	46	27	34	39	42	24	27	41	41	45	21	33	997
8-9P	18	20	18	29	26	16	17	26	16	18	14	24	24	17	16	17	31	39	27	29	29	26	17	23	41	38	31	13	8	21	689
9-10P	13	10	12	25	14	22	9	9	14	12	21	18	15	15	7	21	13	15	18	10	15	10	14	13	30	18	15	10	8	10	436
10-11P	3	9	9	11	9	10	6	4	4	4	11	14	9	8	9	7	7	10	21	10	5	8	5	14	6	14	18	6	8	6	265
11-12P	7	2	5	3	8	6	2	2	4	1	3	7	6	4	3	2	4	4	5	4	4	1	2	4	2	5	7	4	4	5	120
Total:	843	890	954	1062	914	653	546	897	820	820	877	929	744	598	876	934	998	1022	1006	853	790	963	988	937	998	1000	785	601	940	921	26,159

Volume by Hour by Week

Once the site is selected, go to reports and select “Volume” → “Volume by Hour Week”. This report will export combined and directional volumes. This report will only export one week at a time.



Oregon Traffic Monitoring System

Volume By Hour By Week for 4/1/2019 - 4/7/2019
Criteria: Location ID = 01001

District : Region 5 Location ID : 01001 County : Baker Factor Group : RurColl
Located On LA GRANDE-BAKER HIGHWAY NO. 66 Functional Class Major Collector Area Type : Rural

YEA	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
AAD T	881	838	880	911	823	759	738	779	723	758	778	837	786	804	802	843	860	851	833	819

Start	Monday 4/1/2019	Tuesday 4/2/2019	Wednesda 4/3/2019	Thursdag 4/4/2019	Friday 4/5/2019	Saturdag 4/6/2019	Sunday 4/7/2019	Avg	Avg Volume Graph	Pct. of Total
12:00 AM	3	3	2	3	1	6	6	3		0.4%
1:00 AM	1	1	0	1	2	0	7	2		0.2%
2:00 AM	1	3	0	2	2	0	2	1		0.2%
3:00 AM	4	3	4	7	6	2	0	4		0.4%
4:00 AM	11	8	12	9	10	1	3	8		0.9%
5:00 AM	19	19	20	18	14	4	1	14		1.6%
6:00 AM	45	51	54	43	34	20	7	36		4.3%
7:00 AM	60	76	67	75	44	31	10	52		6.2%
8:00 AM	53	54	77	68	64	39	14	53		6.3%
9:00 AM	40	59	51	60	58	46	28	49		5.8%
10:00 AM	49	47	65	62	49	41	36	50		6.0%
11:00 AM	58	51	55	85	62	57	60	61		7.3%
12:00 PM	44	54	65	78	64	40	53	57		6.8%
1:00 PM	58	58	71	71	72	46	48	61		7.2%
2:00 PM	62	64	71	61	58	52	38	58		6.9%
3:00 PM	79	70	74	64	62	67	46	66		7.9%
4:00 PM	87	86	79	78	73	37	52	70		8.4%
5:00 PM	68	70	68	106	90	51	36	70		8.3%
6:00 PM	39	47	44	64	57	27	37	45		5.4%
7:00 PM	21	25	31	39	35	32	28	30		3.6%
8:00 PM	18	20	18	29	26	16	17	21		2.5%
9:00 PM	13	10	12	25	14	22	9	15		1.8%
10:00 PM	3	9	9	11	9	10	6	8		1.0%
11:00 PM	7	2	5	3	8	6	2	5		0.6%
Total	843	890	954	1062	914	653	546	Avg		
AM Pk	7:00 AM	7:00 AM	8:00 AM	11:00 AM	8:00 AM	11:00 AM	11:00 AM			
AM Peak	60	76	77	85	64	57	60	68		
PM Pk	4:00 PM	4:00 PM	4:00 PM	5:00 PM	5:00 PM	3:00 PM	12:00 PM			
PM Peak	87	86	79	106	90	67	53	81		
Peak %	10.32%	9.66%	8.28%	9.98%	9.85%	10.26%	10.99%	9.91%		


Count Start:	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00
Start	4/1/2019	4/2/2019	4/3/2019	4/4/2019	4/5/2019	4/6/2019	4/7/2019
End	4/2/2019	4/3/2019	4/4/2019	4/5/2019	4/6/2019	4/7/2019	4/8/2019
24h Total	843	890	954	1062	914	653	546

Volume by Hour by Day for Month

Once the site is selected, go to reports and select “Volume” → “Volume by Hour by Day for Month”. This report will export volumes combined or separately by direction or by lane.

Axle Factor Monthly Chart Report

Once the site is selected, go to reports and select “Class” → “Axle Factor by Month (Chart)”. This report will export a chart showing the monthly axle factors.



Ranked Hour Report



ODOT has created a Ranked Hour report from archived ATR data that includes all hours of the year plus d_{factor} (with direction) and k_{factor} to address limitations in the available OTMS/MS2 reports shown below. This new [report](#) is only available directly to ODOT staff; otherwise please contact the TSM unit with a request for the ATR archived Ranked Hour report.

Yearly Peak Hourly Volume

Once the site is selected, go to reports and select “Volume” → “Yearly Peak Hourly Volume”. This report does not give you values between the 28th and 32nd hour to be able to average for the 30th highest hour.



Oregon Traffic Monitoring System

Yearly Peak Hourly Volume for 1/1/2019 - 12/31/2019

Criteria: Location ID = 01001

District: Region 5

Station: 01001

Route: 30

County: Baker

Roadbed ML

Located On: LA GRANDE-BAKER HIGHWAY NO. 66

		Highest Hour		10Th		20Th		DHV 30Th		50Th		100Th	
YEAR	AADT	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2019	819	319	38.95 %	121	14.77 %	105	12.82 %	100	12.21 %	96	11.72 %	90	10.99 %

Generated 4/16/2021

Page 1 of 1

Top 100 High Hourly Volume by Year

Once the site is selected, go to reports and select “Volume” → “Top 100 High Hourly Volume by Year”. This report does not show which direction the %Peak Dir (Direction) corresponds to.

Oregon Traffic Monitoring System

Top 100 High Hourly Volume By Year for 1/1/2019 - 12/31/2019

Criteria: Location ID = 01001

District : Region 5

Location ID : 01001

Direction : 2-WAY

Roadbed : ML

Route : 30

County : Baker

Located On : LA GRANDE-BAKER HIGHWAY NO. 66

At Road : UnionBaker County Line [4.84 miles]

#	Date	DoW	Hour	Value	% AADT	%Peak Dir	#	Date	DoW	Hour	Value	% AADT	%Peak Dir	#	Date	DoW	Hour	Value	% AADT	%Peak Dir
1	5/24/2019	Fri	8pm-9pm	319	38.95	94.00	35	10/28/2019	Mon	5pm-6pm	100	12.21	58.00	69	7/12/2019	Fri	5pm-6pm	93	11.36	66.00
2	6/12/2019	Wed	5pm-6pm	269	32.84	87.00	36	4/17/2019	Wed	5pm-6pm	99	12.09	55.00	70	8/27/2019	Tue	4pm-5pm	93	11.36	57.00
3	5/24/2019	Fri	9pm-10pm	212	25.89	94.00	37	4/25/2019	Thu	4pm-5pm	99	12.09	59.00	71	9/13/2019	Fri	4pm-5pm	93	11.36	59.00
4	5/24/2019	Fri	7pm-8pm	153	18.68	84.00	38	7/12/2019	Fri	4pm-5pm	99	12.09	57.00	72	9/20/2019	Fri	1pm-2pm	93	11.36	51.00
5	7/4/2019	Thu	9am-10am	153	18.68	88.00	39	8/14/2019	Wed	5pm-6pm	99	12.09	60.00	73	3/21/2019	Thu	4pm-5pm	92	11.23	60.00
6	7/4/2019	Thu	11am-12pm	143	17.46	74.00	40	11/13/2019	Wed	3pm-4pm	99	12.09	55.00	74	4/23/2019	Tue	7am-8am	92	11.23	71.00
7	7/4/2019	Thu	12pm-1pm	133	16.24	59.00	41	6/1/2019	Sat	3pm-4pm	98	11.97	76.00	75	5/16/2019	Thu	4pm-5pm	92	11.23	55.00
8	7/3/2019	Wed	5pm-6pm	127	15.51	75.00	42	10/11/2019	Fri	4pm-5pm	98	11.97	58.00	76	5/20/2019	Mon	4pm-5pm	92	11.23	50.00
9	6/1/2019	Sat	1pm-2pm	121	14.77	65.00	43	5/7/2019	Tue	4pm-5pm	97	11.84	64.00	77	6/21/2019	Fri	4pm-5pm	92	11.23	70.00
10	11/18/2019	Mon	11am-12pm	121	14.77	71.00	44	9/26/2019	Thu	3pm-4pm	97	11.84	53.00	78	7/1/2019	Mon	5pm-6pm	92	11.23	61.00
11	7/3/2019	Wed	1pm-2pm	116	14.16	53.00	45	10/31/2019	Thu	3pm-4pm	97	11.84	63.00	79	11/1/2019	Fri	2pm-3pm	92	11.23	54.00
12	5/30/2019	Thu	4pm-5pm	112	13.68	57.00	46	11/7/2019	Thu	4pm-5pm	97	11.84	70.00	80	11/13/2019	Wed	4pm-5pm	92	11.23	60.00
13	6/12/2019	Wed	4pm-5pm	111	13.55	59.00	47	3/20/2019	Wed	3pm-4pm	96	11.72	55.00	81	11/18/2019	Mon	10am-11am	92	11.23	63.00
14	4/23/2019	Tue	4pm-5pm	110	13.43	55.00	48	5/23/2019	Thu	7am-8am	96	11.72	57.00	82	12/12/2019	Thu	3pm-4pm	92	11.23	55.00
15	5/14/2019	Tue	4pm-5pm	108	13.19	63.00	49	9/5/2019	Thu	4pm-5pm	96	11.72	68.00	83	4/19/2019	Fri	4pm-5pm	91	11.11	63.00
16	7/4/2019	Thu	10pm-11pm	107	13.06	96.00	50	10/15/2019	Tue	4pm-5pm	96	11.72	57.00	84	5/21/2019	Tue	7am-8am	91	11.11	60.00
17	10/4/2019	Fri	4pm-5pm	107	13.06	62.00	51	11/1/2019	Fri	4pm-5pm	96	11.72	56.00	85	5/29/2019	Wed	4pm-5pm	91	11.11	55.00
18	4/4/2019	Thu	5pm-6pm	106	12.94	65.00	52	3/19/2019	Tue	3pm-4pm	95	11.60	56.00	86	6/19/2019	Wed	4pm-5pm	91	11.11	51.00
19	11/6/2019	Wed	4pm-5pm	106	12.94	60.00	53	4/18/2019	Thu	4pm-5pm	95	11.60	68.00	87	7/19/2019	Fri	2pm-3pm	91	11.11	55.00
20	7/4/2019	Thu	1pm-2pm	105	12.82	68.00	54	5/21/2019	Tue	4pm-5pm	95	11.60	57.00	88	9/4/2019	Wed	3pm-4pm	91	11.11	55.00
21	7/4/2019	Thu	6pm-7pm	105	12.82	74.00	55	6/3/2019	Mon	7am-8am	95	11.60	64.00	89	9/4/2019	Wed	5pm-6pm	91	11.11	56.00
22	5/9/2019	Thu	4pm-5pm	104	12.70	62.00	56	9/17/2019	Tue	4pm-5pm	95	11.60	58.00	90	10/3/2019	Thu	4pm-5pm	91	11.11	65.00
23	2/25/2019	Mon	4pm-5pm	103	12.58	77.00	57	5/10/2019	Fri	5pm-6pm	94	11.48	55.00	91	10/7/2019	Mon	4pm-5pm	91	11.11	53.00
24	5/23/2019	Thu	3pm-4pm	103	12.58	50.00	58	6/3/2019	Mon	5pm-6pm	94	11.48	65.00	92	10/10/2019	Thu	3pm-4pm	91	11.11	53.00
25	8/3/2019	Sat	8pm-9pm	103	12.58	78.00	59	7/3/2019	Wed	10am-11am	94	11.48	54.00	93	10/14/2019	Mon	4pm-5pm	91	11.11	67.00
26	5/14/2019	Tue	3pm-4pm	102	12.45	60.00	60	7/26/2019	Fri	5pm-6pm	94	11.48	61.00	94	10/28/2019	Mon	4pm-5pm	91	11.11	58.00
27	9/19/2019	Thu	4pm-5pm	102	12.45	62.00	61	8/13/2019	Tue	1pm-2pm	94	11.48	52.00	95	4/5/2019	Fri	5pm-6pm	90	10.99	59.00
28	4/18/2019	Thu	5pm-6pm	101	12.33	59.00	62	9/18/2019	Wed	4pm-5pm	94	11.48	67.00	96	5/22/2019	Wed	3pm-4pm	90	10.99	53.00
29	9/12/2019	Thu	4pm-5pm	101	12.33	65.00	63	10/10/2019	Thu	5pm-6pm	94	11.48	53.00	97	5/24/2019	Fri	4pm-5pm	90	10.99	61.00
30	4/26/2019	Fri	4pm-5pm	100	12.21	53.00	64	10/22/2019	Tue	4pm-5pm	94	11.48	57.00	98	5/30/2019	Thu	7am-8am	90	10.99	60.00
31	7/3/2019	Wed	4pm-5pm	100	12.21	63.00	65	2/4/2019	Mon	3pm-4pm	93	11.36	60.00	99	6/1/2019	Sat	4pm-5pm	90	10.99	80.00
32	8/26/2019	Mon	4pm-5pm	100	12.21	53.00	66	5/23/2019	Thu	4pm-5pm	93	11.36	60.00	100	9/3/2019	Tue	8am-9am	90	10.99	57.00
33	9/23/2019	Mon	4pm-5pm	100	12.21	62.00	67	6/4/2019	Tue	5pm-6pm	93	11.36	55.00							
34	10/16/2019	Wed	7am-8am	100	12.21	61.00	68	6/5/2019	Wed	4pm-5pm	93	11.36	62.00							

Annual High Hour

Multi-day counts will need to be combined together to produce accurate percentages. OTMS is designed to only accept counts from Midnight to Midnight on a single day and will produce additional reports for each day of the count. Note that in this case report totals on each page will not be accurate for the entire count.

Once the site is selected, go to reports and select “Volume” → “Annual High Hour”. This report does not give you values between the 28th and 32nd hour to be able to average for the 30th hour if needed in case of incomplete data that skews the results or when it falls on a non-typical day such as a holiday.

Oregon Traffic Monitoring System

High Hourly Volumes for Year for 1/1/2019 - 12/31/2019

Criteria: Location ID = 01001

District : Region 5

County : Baker

Community :

Route: UnionBaker County Line [4.84 miles]

On Road: LA GRANDE-BAKER HIGHWAY NO. 66

Location ID : 01001

Collection Type :



AADT: 819

Roadbed : ML


Ordinal High Hour	Date	Day of Week	Hour	Volume	K Factor	Peak Direction	Directional Distribution
1	5/24/2019	Friday	8pm-9pm	319	38.9	NB	94
2	6/12/2019	Wednesday	5pm-6pm	269	32.8	NB	87
3	5/24/2019	Friday	9pm-10pm	212	25.9	NB	94
4	5/24/2019	Friday	7pm-8pm	153	18.7	NB	84
5	7/4/2019	Thursday	9am-10am	153	18.7	SB	88
6	7/4/2019	Thursday	11am-12pm	143	17.5	NB	74
7	7/4/2019	Thursday	12pm-1pm	133	16.2	SB	59
8	7/3/2019	Wednesday	5pm-6pm	127	15.5	SB	75
9	6/1/2019	Saturday	1pm-2pm	121	14.8	NB	65
10	11/18/2019	Monday	11am-12pm	121	14.8	NB	71
20	7/4/2019	Thursday	1pm-2pm	105	12.8	SB	68
25	8/3/2019	Saturday	8pm-9pm	103	12.6	NB	78
30	4/26/2019	Friday	4pm-5pm	100	12.2	SB	53
35	10/28/2019	Monday	5pm-6pm	100	12.2	SB	58
40	11/13/2019	Wednesday	3pm-4pm	99	12.1	SB	55
45	10/31/2019	Thursday	3pm-4pm	97	11.8	SB	63
50	10/15/2019	Tuesday	4pm-5pm	96	11.7	SB	57
75	5/16/2019	Thursday	4pm-5pm	92	11.2	SB	55
100	9/3/2019	Tuesday	8am-9am	90	11	SB	57
125	6/7/2019	Friday	5pm-6pm	88	10.7	SB	56
150	8/2/2019	Friday	4pm-5pm	87	10.6	SB	71
175	4/24/2019	Wednesday	3pm-4pm	85	10.4	SB	58
200	6/5/2019	Wednesday	3pm-4pm	84	10.3	NB	56

Intersection Counts (Turning Movement Counts –TMC)

From the OTMS home page, click on the TMC tab for turning movement counts. A new webpage will open up. Select “Analysis” at the top center of the screen that allows for a quick search, advanced search, or search by the map as above. The TMC tab is in the new updated format so it looks different from the Home (TCDS) tab. The TCDS tab will be eventually updated to match.



Perform either a quick search by Intersection ID, County, Community, or Counts Year. An advanced search can also be done.



Quick Search	
Intersection ID	110035
County	All
Community	All
Counts Year	2020
Search	

Once the site is selected, click the “Count” tab and select the necessary count. The count date is necessary when running the reports.

110035 / UMATILLA-STANFIELD HIGHWAY NO. 54 / Main St / W Locust Ave

Intersection **Count** Peak Hour

[Change to Calendar View](#)

Display	Date	PHV	Peak Hour	Duration	TMC Owner
☒	Monday, August 17, 2020	1,535	11:45 AM	6:00 AM - 10:00 PM	Mary.PHILLIPS
☐	Wednesday, August 22, 2018	1,704	3:15 PM	6:00 AM - 10:00 PM	KSE
☐	Wednesday, March 19, 2014	1,866	3:30 PM	6:00 AM - 10:00 PM	MM

Count # of 3 [PREVIOUS](#) [NEXT](#)

[Edit Count](#) [Delete Count](#)

Count Reports – Turning Movement/Intersection Counts

Intersection Diagram Report


On the drop down, select Intersection Diagram Report and input the start and end dates.

Reports

Name	Start Date	End Date
Intersection Diagram v	8/17/2020	8/17/2020

[Run Report](#)

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.



Summary by Turning Movements Report

On the drop down, select Summary by Turning Movements Report and input the start and end dates.

Reports

Name

Start Date

End Date

Summary of Turning Movements

8/17/2020

8/17/2020

Run Report

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

Oregon Traffic Monitoring System														Summary of Turning Movements			
8/17/2020 Through 8/17/2020																	
Intersection ID: 110035														Date: 8/17/2020			
County: Umatilla														Hour: 6:00 AM - 10:00 PM			
City: Hermiston														Legs: UMATILLA-STANFIELD HIGHWAY NO. 54 (SB), Main St (WB), UMATILLA-STANFIELD HIGHWAY NO. 54 (NB), W Locust Ave (EB)			
LRS ID: 05400100														Location: UMATILLA-STANFIELD HIGHWAY NO. 54 at Main St and W Locust Ave			
LRS Location Point: 5.46														Notes:			
Summary By Movements														Entering Volumes			
Time of Day	N-E	N-S	N-W	E-N	E-S	E-W	S-N	S-E	S-W	W-N	W-E	W-S	Total	North	East	South	West
6:00	1	40	0	1	1	0	38	0	1	0	1	0	83	41	2	39	1
6:15	2	38	0	2	4	2	48	1	0				97	40	8	49	
6:30	2	63	0	3	1	0	54	0	1	0	2	0	126	65	4	55	2
6:45	4	50	2	1	1	2	89	0	2	1	0	2	154	56	4	91	3
7:00	5	51	0	2	1	2	52	0	2	3	2	0	120	56	5	54	5
7:15	2	59	1	2	0	2	70	1	3	2	2	0	144	62	4	74	4
7:30	5	101	2	5	0	5	97	3	1	0	1	2	222	108	10	101	3
7:45	4	92	0	4	4	8	87	1	2	0	0	3	205	96	16	90	3
8:00	7	60	3	7	2	6	92	0	3	0	2	1	183	70	15	95	3
8:15	7	81	1	2	2	8	80	1	3	2	2	2	191	89	12	84	6
8:30	3	69	3	4	0	6	78	3	4	1	3	1	175	75	10	85	5
8:45	7	87	3	5	1	6	91	1	6	2	2	1	212	97	12	98	5
9:00	12	93	7	5	0	10	97	2	2	1	4	3	236	112	15	101	8
9:15	6	93	3	9	2	4	117	2	4	4	7	4	255	102	15	123	15
9:30	7	112	3	12	2	5	114	1	6	4	5	3	274	122	19	121	12
9:45	12	109	5	3	3	11	111	2	6	1	4	3	270	126	17	119	8
10:00	10	118	9	9	3	11	117	5	2	2	4	3	293	137	23	124	9
10:15	8	128	7	7	5	13	143	4	3	5	10	1	334	143	25	150	16
10:30	17	111	3	8	6	11	126	0	1	10	5	3	301	131	25	127	18

Volume by Approach Report

On the drop down, select Volume by Approach Report and input the start and end dates.

Reports

Name

Start Date

End Date

Volume by Approach

08/17/2020

08/17/2020

Run Report

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

1 of 16

100%

Find | Next

Oregon Traffic Monitoring System

Volume by Approach

8/17/2020 Through 8/17/2020

TMC Date: 8/17/2020

Time Interval: 15 Min.

Intersection ID: 110035

Classification: Summary

Owner ID: Mary.PHILLIPS

County: Umatilla

Community: Hermiston

Roads: Main St, UMATILLA-STANFIELD HIGHWAY NO. 54, W Locust Ave

LRS ID:

LRS Milepoint:

Start Time	UMATILLA-STANFIELD HIGHWAY NO. 54 Northbound						W Locust Ave Eastbound						UMATILLA-STANFIELD HIGHWAY NO. 54 Southbound						Main St Westbound						Total
	Left	Thru	Right	U-Turn	Ped	NB Total	Left	Thru	Right	U-Turn	Ped	EB Total	Left	Thru	Right	U-Turn	Ped	SB Total	Left	Thru	Right	U-Turn	Ped	WB Total	
6:00AM	1	38	0	0	1	39	0	1	0	0	0	1	1	40	0	0	0	41	1	0	1	0	0	2	83
6:15AM	0	48	1	0	0	49	0	0	0	0	0	0	2	38	0	0	0	40	4	2	2	0	0	8	97
6:30AM	1	54	0	0	3	55	0	2	0	0	0	2	2	63	0	0	0	65	1	0	3	0	0	4	126
6:45AM	2	89	0	0	1	91	1	0	2	0	1	3	4	50	2	0	0	56	1	2	1	0	0	4	2
Hour Total	4	229	1	0	5	234	1	3	2	0	1	6	9	191	2	0	0	202	7	4	7	0	0	18	460
7:00AM	2	52	0	0	0	54	3	2	0	0	0	5	5	51	0	0	0	56	1	2	2	0	0	5	120
7:15AM	3	70	1	0	0	74	2	2	0	0	1	4	2	59	1	0	0	62	0	2	2	0	0	4	144
7:30AM	1	97	3	0	0	101	0	1	2	0	1	3	5	101	2	0	0	108	0	5	5	0	0	10	222
7:45AM	2	87	1	0	0	90	0	0	3	0	0	3	4	92	0	0	0	96	4	8	4	0	1	16	205
Hour Total	8	306	5	0	0	319	5	5	5	0	2	15	16	303	3	0	0	322	5	17	13	0	1	35	691
8:00AM	3	92	0	0	0	95	0	2	1	0	1	3	7	80	3	0	0	70	2	6	7	0	1	15	163
8:15AM	3	80	1	0	0	84	2	2	2	0	0	6	7	81	1	0	0	89	2	8	2	0	0	12	191
8:30AM	4	78	3	0	0	85	1	3	1	0	0	5	3	89	3	0	0	75	0	6	4	0	0	10	175
8:45AM	6	91	1	0	0	98	2	2	1	0	1	5	7	87	3	0	0	97	1	6	5	0	1	12	212
Hour Total	16	341	5	0	0	362	5	9	5	0	2	19	24	297	10	0	0	331	5	26	18	0	2	49	761
9:00AM	2	97	2	0	0	101	1	4	3	0	0	8	12	93	7	0	0	112	0	10	5	0	1	15	236
9:15AM	4	117	2	0	1	123	4	7	4	0	0	15	6	93	3	0	0	102	2	4	9	0	0	15	255
9:30AM	6	114	1	0	0	121	4	5	3	0	0	12	7	112	3	0	0	122	2	5	12	0	0	19	274
9:45AM	6	111	2	0	0	119	1	4	3	0	0	8	12	109	5	0	1	126	3	11	3	0	0	17	270
Hour Total	18	439	7	0	1	464	10	20	13	0	0	43	37	407	18	0	1	462	7	30	29	0	1	66	1,035
10:00AM	2	117	5	0	0	124	2	4	3	0	0	9	10	118	9	0	0	137	3	11	9	0	0	23	293
10:15AM	3	143	4	0	0	150	5	10	1	0	1	16	8	128	7	0	0	143	5	13	7	0	2	25	334
10:30AM	1	126	0	0	0	127	10	5	3	0	0	18	17	111	3	0	0	131	6	11	8	0	0	25	301
10:45AM	5	155	0	0	1	160	1	4	2	0	1	7	9	134	3	0	0	146	3	11	6	0	0	20	333
Hour Total	11	541	9	0	1	561	18	23	9	0	2	50	44	491	22	0	0	557	17	46	30	0	2	93	1,261
11:00AM	3	141	2	0	3	146	5	7	2	0	0	14	12	105	1	0	0	118	3	13	10	0	1	26	4
11:15AM	3	137	4	0	2	144	7	4	3	0	0	14	6	119	13	0	0	138	5	10	11	0	0	26	2
11:30AM	4	132	4	0	2	140	6	8	5	0	3	19	15	135	7	0	0	157	6	12	14	0	0	32	348
11:45AM	1	162	6	0	1	169	11	6	2	0	0	19	6	148	13	0	0	167	0	5	7	0	1	12	367
Hour Total	11	572	16	0	8	599	29	25	12	0	3	66	39	507	34	0	0	580	14	40	42	0	2	96	13
12:00PM	4	162	2	0	3	168	4	18	6	0	1	28	22	157	3	0	0	182	2	13	12	0	0	27	405
12:15PM	8	157	1	0	1	166	8	8	4	0	0	20	12	141	5	0	3	158	3	7	9	0	3	19	7
12:30PM	4	163	5	0	0	172	4	5	2	0	0	11	15	164	8	0	0	187	4	14	12	0	0	30	400
12:45PM	2	151	3	0	0	156	3	4	3	0	0	10	9	133	11	0	0	153	1	13	17	0	0	31	350
Hour Total	18	633	11	0	4	662	19	35	15	0	1	69	58	595	27	0	3	680	10	47	50	0	3	107	1,518
1:00PM	8	156	2	0	0	166	8	9	5	0	0	22	14	143	9	0	0	166	3	16	11	0	1	30	384
1:15PM	3	135	8	0	0	146	7	5	2	0	0	14	9	155	4	0	1	168	3	12	8	0	1	23	351

On the drop down, select Summary by Approach Report and input the start and end dates.

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

Analysis Procedures Manual Version 2 3C-35 Last Updated 01/2026

On the drop down, select Summary by Approach and Direction Report and input the start and end dates.

Reports

Name	Start Date	End Date
Summary by Approach and D ▾	08/17/2020	08/17/2020

Run Report

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

</

Summary of Pedestrian Count Report

On the drop down, select Summary of Pedestrian Count Report and input the start and end dates.

Reports

Name	Start Date	End Date
Summary of Pedestrian Count ▼	08/22/2018	08/22/2018

Run Report

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

1

of 1

100%

Oregon Traffic Monitoring System

Summary of Pedestrian Count

8/22/2018 Through 8/22/2018

Intersection ID: 110035

Date: 8/22/2018

County: Umatilla

Hour: 6:00 AM - 10:00 PM

City: Hermiston

Legs: UMATILLA-STANFIELD HIGHWAY NO. 54 (SB), Main St (WB), UMATILLA-STANFIELD HIGHWAY NO. 54 (NB), W Locust Ave (EB)

LRS ID: 05400100

Location: UMATILLA-STANFIELD HIGHWAY NO. 54 at Main St and W Locust Ave

LRS Location Point: 5.46

Notes: Weather: Clear

Pedestrian

Time of Day

North

East

South

West

6:00

6:15

6:30

6:45

7:00

1

7:15

7:30

1

7:45

2

8:00

1

1

1

2

8:15

1

2

8:30

8:45

5

3

1

9:00

1

3

1

9:15

1

2

1

9:30

2

1

9:45

1

1

10:00

1

2

3

10:15

1

2

10:30

1

1

10:45

1

11:00

1

11:15

3

11:30

1

1

11:45

2

1

12:00

2

3

12:15

1

1

12:30

1

1

2

Axle Factor Report

On the drop down, select Axle Factor Report and input the start and end dates.

Reports

Name

Start Date

End Date

Axle Factor Report

8/17/2020

8/17/2020

Run Report

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

1 of 1 100% Find Next Oregon Traffic Monitoring System Axle Factor Report 8/17/2020 Through 8/17/2020 Intersection ID: 110035 County: Umatilla City: Hermiston LRS ID: 05400100 LRS Location Point: 5.46 Date: 8/17/2020 Hour: 6:00 AM - 10:00 PM Legs: UMATILLA-STANFIELD HIGHWAY NO. 54 (SB), Main St (WB), UMATILLA-STANFIELD HIGHWAY NO. 54 (NB), W Locust Ave (EB) Location: UMATILLA-STANFIELD HIGHWAY NO. 54 at Main St and W Locust Ave Notes:															
Leg	From To	Motorcycle	Car	Lt Truck	Bus	Single Unit Truck			Single Trailer Truck			Multi Trailer Truck			Total All Vehicle
						2 Axles	3 Axles	4+ Axles	4- Axles	5 Axles	6+ Axles	5- Axles	6 Axles	7+ Axles	
East	East-North	1	288	133		1			1	1					425
	East-South		119	40					1	8					168
	East-West		363	152	2	6	1		2	1					527
	North-East	3	389	195		10			1						598
	South-East	2	86	49		1				2					140
	West-East		217	93		4	1								315
	Total Volume	6	1462	662	2	22	2	0	5	12	0	0	0	0	2173
	Axle Factor	1	1	1	1	1	1.5	2	2	2.5	3	2.5	3	3.5	0.989
North	Vehicle Over Count	6	1462	662	2	22	3	0	10	30	0	0	0	0	2197
	East-North	1	288	133		1			1	1					425
	North-East	3	389	195		10			1						598
	North-South	11	4202	1953	4	153	34	3	43	233	100	5	2	14	6757
	North-West		169	89		8			2						268
	South-North	22	4382	2066	3	156	36	4	40	207	96	3	2	19	7036
	West-North		126	58	2	8									194
	Total Volume	37	9556	4494	9	336	70	7	87	441	196	8	4	33	15278
North	Axle Factor	1	1	1	1	1	1.5	2	2	2.5	3	2.5	3	3.5	0.922
	Vehicle Over Count	37	9556	4494	9	336	105	14	174	1102	588	20	12	116	16563

On the drop down, select Peak Percentage Trucks by Federal Vehicle Classification Report and input the start and end dates.

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

Analysis Procedures Manual Version 2 3C-41 Last Updated 01/2026

Percentage by Federal Vehicle Classification Report

On the drop down, select Percentage by Federal Vehicle Classification Report and input the start and end dates.

Reports

Name

Start Date

End Date

Percentage By Federal Vehicle Classification

08/17/2020

08/17/2020

Run Report

The report will open in a new tab and can be downloaded in the same format as the straightaway counts.

1 of 1

100%

Find | Next

Oregon Traffic Monitoring System

Percentage By Federal Vehicle Classification

8/17/2020 Through 8/17/2020

Intersection ID: 110035

County: Umatilla

City: Hermiston

LRS ID: 05400100

LRS Location Point: 5.46

Date: 8/17/2020

Hour: 6:00 AM - 10:00 PM

Legs: UMATILLA-STANFIELD HIGHWAY NO. 54 (SB), Main St (WB), UMATILLA-STANFIELD HIGHWAY NO. 54 (NB), W Locust Ave (EB)

Location: UMATILLA-STANFIELD HIGHWAY NO. 54 at Main St and W Locust Ave

Notes:

Leg	Motor cycle	Car	Lt Truck	Bus	2 Axles	3 Axles	4+ Axles	4- Axles	5 Axles	6+ Axles	5- Axles	6 Axles	7+ Axles	Total All Vehicle	
North	Southbound	14	4760	2237	4	171	34	3	46	233	100	5	2	14	7623
	%	0.184	62.443	29.345	0.052	2.243	0.446	0.039	0.603	3.057	1.312	0.066	0.026	0.184	
	Northbound	23	4796	2257	5	165	36	4	41	208	96	3	2	19	7655
	%	0.300	62.652	29.484	0.065	2.155	0.470	0.052	0.536	2.717	1.254	0.039	0.026	0.248	
	Total Volume	37	9556	4494	9	336	70	7	87	441	196	8	4	33	15278
	% Total Volume	0.242	62.547	29.415	0.059	2.199	0.458	0.046	0.569	2.887	1.283	0.052	0.026	0.216	
East	Westbound	1	770	325	2	7	1		4	10					
	%	∞	∞	∞	∞	∞	∞		∞	∞					
	Eastbound	5	692	337		15	1		1	2					1053
	%	0.475	65.717	32.004		1.425	0.095		0.095	0.190					
	Total Volume	6	1462	662	2	22	2		5	12					1053
	% Total Volume	0.570	138.841	62.868	0.190	2.089	0.190		0.475	1.140					
South	Northbound	25	4603	2174	3	158	38	4	40	209	96	3	2	19	7374
	%	0.339	62.422	29.482	0.041	2.143	0.515	0.054	0.542	2.834	1.302	0.041	0.027	0.258	
	Southbound	12	4417	2051	4	156	34	3	44	241	100	5	2	14	7083
	%	0.169	62.361	28.957	0.056	2.202	0.480	0.042	0.621	3.403	1.412	0.071	0.028	0.198	
	Total Volume	37	9020	4225	7	314	72	7	84	450	196	8	4	33	14457
	% Total Volume	0.256	62.392	29.225	0.048	2.172	0.498	0.048	0.581	3.113	1.356	0.055	0.028	0.228	
	Eastbound	1	439	209	2	15	1								
	%	∞	∞	∞	∞	∞	∞								
	Westbound	1	667	300	2	15	3		4	1					993