

RSV Surveillance Report

04/26/2026- 05/02/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	2.8%	4
Current Week	1.8%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	850	7 (0.8%)	850	7 (0.8%)
2	0	0 (0.0%)	319	0 (0.0%)	319	0 (0.0%)
3	0	0 (0.0%)	47	3 (6.4%)	47	3 (6.4%)
5	0	0 (0.0%)	139	8 (5.8%)	139	8 (5.8%)
6	0	0 (0.0%)	42	4 (9.5%)	42	4 (9.5%)
7	0	0 (0.0%)	351	12 (3.4%)	351	12 (3.4%)
9	0	0 (0.0%)	138	0 (0.0%)	138	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 338 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 04/26/2026 - 05/02/2026. The cumulative hospitalization rate for the 2025-2026 season is 18.7 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	109	127.2
5-17 yrs	10	3.8
18-49 yrs	30	3.6
50-64 yrs	48	14.7
65 yrs+	141	47.2

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season offset on May 2, 2026. **Providers may discontinue administering RSV prevention products.** Season offset is defined as the last of two consecutive weeks during which the mean percentage of positive specimens by antigen is <10% or the mean percentage of positive specimens by PCR is <3%, whichever occurs last. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 1.8 % of PCR tests were positive during 04/26/2026 - 05/02/2026.


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

04/19/2026- 04/25/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	4.0%	9
Current Week	3.5%	3

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	346	14 (4.0%)	346	14 (4.0%)
2	0	0 (0.0%)	300	1 (0.3%)	300	1 (0.3%)
3	0	0 (0.0%)	71	3 (4.2%)	71	3 (4.2%)
5	0	0 (0.0%)	181	12 (6.6%)	181	12 (6.6%)
6	0	0 (0.0%)	28	1 (3.6%)	28	1 (3.6%)
7	0	0 (0.0%)	464	15 (3.2%)	464	15 (3.2%)
9	0	0 (0.0%)	156	8 (5.1%)	156	8 (5.1%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 335 hospitalizations have occurred during the 2025-2026 season. There were 3 hospitalizations reported during 04/19/2026 - 04/25/2026. The cumulative hospitalization rate for the 2025-2026 season is 18.5 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	109	127.2
5-17 yrs	10	3.8
18-49 yrs	29	3.5
50-64 yrs	47	14.4
65 yrs+	140	46.9

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 3.5 % of PCR tests were positive during 04/19/2026 - 04/25/2026.

RSV Surveillance Report

04/12/2026- 04/18/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	4.9%	14
Current Week	4.1%	7

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	271	12 (4.4%)	271	12 (4.4%)
2	0	0 (0.0%)	335	1 (0.3%)	335	1 (0.3%)
3	71	0 (0.0%)	71	0 (0.0%)	142	0 (0.0%)
5	0	0 (0.0%)	195	18 (9.2%)	195	18 (9.2%)
6	0	0 (0.0%)	39	2 (5.1%)	39	2 (5.1%)
7	0	0 (0.0%)	353	13 (3.7%)	353	13 (3.7%)
9	0	0 (0.0%)	128	14 (10.9%)	128	14 (10.9%)

Oregon RSV Percent Positivity by Region




RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 330 hospitalizations have occurred during the 2025-2026 season. There were 7 hospitalizations reported during 04/12/2026 - 04/18/2026. The cumulative hospitalization rate for the 2025-2026 season is 18.2 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	108	126.0
5-17 yrs	9	3.4
18-49 yrs	28	3.3
50-64 yrs	47	14.4
65 yrs+	138	46.2

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 4.3 % of PCR tests were positive during 04/12/2026 - 04/18/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

04/05/2026- 04/11/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	4.7%	9
Current Week	5.2%	12

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	667	44 (6.6%)	667	44 (6.6%)
2	0	0 (0.0%)	340	1 (0.3%)	340	1 (0.3%)
3	0	0 (0.0%)	71	8 (11.3%)	71	8 (11.3%)
5	0	0 (0.0%)	207	11 (5.3%)	207	11 (5.3%)
6	0	0 (0.0%)	25	2 (8.0%)	25	2 (8.0%)
7	0	0 (0.0%)	463	23 (5.0%)	463	23 (5.0%)
9	5	2 (40.0%)	163	10 (6.1%)	168	12 (7.1%)

Oregon RSV Percent Positivity by Region




RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 321 hospitalizations have occurred during the 2025-2026 season. There were 12 hospitalizations reported during 04/05/2026 - 04/11/2026. The cumulative hospitalization rate for the 2025-2026 season is 17.7 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	106	123.7
5-17 yrs	9	3.4
18-49 yrs	28	3.3
50-64 yrs	47	14.4
65 yrs+	131	43.9

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

40.0 % of antigen tests and 5.1 % of PCR tests were positive during 04/05/2026 - 04/11/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

03/29/2026- 04/04/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	6.3%	20
Current Week	4.5%	8

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	386	16 (4.1%)	386	16 (4.1%)
2	0	0 (0.0%)	405	0 (0.0%)	405	0 (0.0%)
3	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
5	0	0 (0.0%)	189	16 (8.5%)	189	16 (8.5%)
6	0	0 (0.0%)	35	3 (8.6%)	35	3 (8.6%)
7	0	0 (0.0%)	388	19 (4.9%)	388	19 (4.9%)
9	0	0 (0.0%)	134	15 (11.2%)	134	15 (11.2%)

Oregon RSV Percent Positivity by Region




RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 308 hospitalizations have occurred during the 2025-2026 season. There were 8 hospitalizations reported during 03/29/2026 - 04/04/2026. The cumulative hospitalization rate for the 2025-2026 season is 17 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	101	117.8
5-17 yrs	8	3.0
18-49 yrs	27	3.2
50-64 yrs	47	14.4
65 yrs+	125	41.9

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 4.5 % of PCR tests were positive during 03/29/2026 - 04/04/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

03/22/2026- 03/28/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	6.4%	24
Current Week	8.2%	18

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	426	27 (6.3%)	426	27 (6.3%)
2	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
3	0	0 (0.0%)	61	5 (8.2%)	61	5 (8.2%)
5	0	0 (0.0%)	277	31 (11.2%)	277	31 (11.2%)
6	0	0 (0.0%)	41	4 (9.8%)	41	4 (9.8%)
7	0	0 (0.0%)	490	35 (7.1%)	490	35 (7.1%)
9	0	0 (0.0%)	157	17 (10.8%)	157	17 (10.8%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 298 hospitalizations have occurred during the 2025-2026 season. There were 18 hospitalizations reported during 03/22/2026 - 03/28/2026. The cumulative hospitalization rate for the 2025-2026 season is 16.4 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	97	113.2
5-17 yrs	8	3.0
18-49 yrs	26	3.1
50-64 yrs	44	13.5
65 yrs+	123	41.2

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0% of antigen tests and 8.2% of PCR tests were positive during 03/22/2026 - 03/28/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

03/15/2026- 03/21/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	6.3%	13
Current Week	6.4%	19

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	982	67 (6.8%)	982	67 (6.8%)
2	0	0 (0.0%)	444	0 (0.0%)	444	0 (0.0%)
3	0	0 (0.0%)	81	6 (7.4%)	81	6 (7.4%)
5	0	0 (0.0%)	314	33 (10.5%)	314	33 (10.5%)
6	0	0 (0.0%)	50	2 (4.0%)	50	2 (4.0%)
7	0	0 (0.0%)	559	44 (7.9%)	559	44 (7.9%)
9	0	0 (0.0%)	186	15 (8.1%)	186	15 (8.1%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 274 hospitalizations have occurred during the 2025-2026 season. There were 19 hospitalizations reported during 03/15/2026 - 03/21/2026. The cumulative hospitalization rate for the 2025-2026 season is 15.1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	88	102.7
5-17 yrs	6	2.3
18-49 yrs	25	3.0
50-64 yrs	40	12.2
65 yrs+	115	38.5

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 6.4 % of PCR tests were positive during 03/15/2026 - 03/21/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

03/08/2026- 03/14/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	7.2%	25
Current Week	6.4%	10

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	525	46 (8.8%)	525	46 (8.8%)
2	0	0 (0.0%)	509	2 (0.4%)	509	2 (0.4%)
3	138	3 (2.2%)	218	7 (3.2%)	356	10 (2.8%)
5	0	0 (0.0%)	324	40 (12.3%)	324	40 (12.3%)
6	0	0 (0.0%)	43	3 (7.0%)	43	3 (7.0%)
7	0	0 (0.0%)	573	46 (8.0%)	573	46 (8.0%)
9	0	0 (0.0%)	122	11 (9.0%)	122	11 (9.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 252 hospitalizations have occurred during the 2025-2026 season. There were 10 hospitalizations reported during 03/08/2026 - 03/14/2026. The cumulative hospitalization rate for the 2025-2026 season is 13.9 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	77	89.8
5-17 yrs	6	2.3
18-49 yrs	23	2.7
50-64 yrs	39	11.9
65 yrs+	107	35.8

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.2 % of antigen tests and 6.7 % of PCR tests were positive during 03/08/2026 - 03/14/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

03/01/2026- 03/07/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	6.4%	25
Current Week	6.7%	20

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,174	85 (7.2%)	1,174	85 (7.2%)
2	0	0 (0.0%)	504	1 (0.2%)	504	1 (0.2%)
3	127	1 (0.8%)	236	8 (3.4%)	363	9 (2.5%)
5	0	0 (0.0%)	326	46 (14.1%)	326	46 (14.1%)
6	0	0 (0.0%)	65	3 (4.6%)	65	3 (4.6%)
7	0	0 (0.0%)	637	47 (7.4%)	637	47 (7.4%)
9	0	0 (0.0%)	176	26 (14.8%)	176	26 (14.8%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 238 hospitalizations have occurred during the 2025-2026 season. There were 20 hospitalizations reported during 03/01/2026 - 03/07/2026. The cumulative hospitalization rate for the 2025-2026 season is 13.1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	75	87.5
5-17 yrs	6	2.3
18-49 yrs	23	2.7
50-64 yrs	36	11.0
65 yrs+	98	32.8

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.8 % of antigen tests and 6.9 % of PCR tests were positive during 03/01/2026 - 03/07/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

02/22/2026- 02/28/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	6.2%	34
Current Week	5.7%	20

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,096	73 (6.7%)	1,096	73 (6.7%)
2	0	0 (0.0%)	537	0 (0.0%)	537	0 (0.0%)
3	0	0 (0.0%)	106	5 (4.7%)	106	5 (4.7%)
5	0	0 (0.0%)	321	27 (8.4%)	321	27 (8.4%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	624	41 (6.6%)	624	41 (6.6%)
9	0	0 (0.0%)	167	17 (10.2%)	167	17 (10.2%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 213 hospitalizations have occurred during the 2025-2026 season. There were 20 hospitalizations reported during 02/22/2026 - 02/28/2026. The cumulative hospitalization rate for the 2025-2026 season is 11.8 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	67	78.2
5-17 yrs	6	2.3
18-49 yrs	21	2.5
50-64 yrs	30	9.2
65 yrs+	89	29.8

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 5.7 % of PCR tests were positive during 02/22/2026 - 02/28/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

02/15/2026- 02/21/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	5.7%	30
Current Week	5.8%	32

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	612	53 (8.7%)	612	53 (8.7%)
2	12	2 (16.7%)	573	1 (0.2%)	585	3 (0.5%)
3	128	4 (3.1%)	267	14 (5.2%)	395	18 (4.6%)
5	0	0 (0.0%)	442	30 (6.8%)	442	30 (6.8%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	761	37 (4.9%)	761	37 (4.9%)
9	16	1 (6.2%)	275	38 (13.8%)	291	39 (13.4%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 191 hospitalizations have occurred during the 2025-2026 season. There were 32 hospitalizations reported during 02/15/2026 - 02/21/2026. The cumulative hospitalization rate for the 2025-2026 season is 10.5 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	62	72.3
5-17 yrs	4	1.5
18-49 yrs	17	2.0
50-64 yrs	27	8.3
65 yrs+	81	27.1

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

4.5 % of antigen tests and 5.9 % of PCR tests were positive during 02/15/2026 - 02/21/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

02/08/2026- 02/14/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	5.0%	30
Current Week	5.5%	23

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,678	119 (7.1%)	1,678	119 (7.1%)
2	13	2 (15.4%)	596	1 (0.2%)	609	3 (0.5%)
3	0	0 (0.0%)	139	6 (4.3%)	139	6 (4.3%)
5	0	0 (0.0%)	518	33 (6.4%)	518	33 (6.4%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	841	44 (5.2%)	841	44 (5.2%)
9	0	0 (0.0%)	148	11 (7.4%)	148	11 (7.4%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 151 hospitalizations have occurred during the 2025-2026 season. There were 23 hospitalizations reported during 02/08/2026 - 02/14/2026. The cumulative hospitalization rate for the 2025-2026 season is 8.3 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	51	59.5
5-17 yrs	4	1.5
18-49 yrs	11	1.3
50-64 yrs	22	6.7
65 yrs+	63	21.1

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

15.4 % of antigen tests and 5.5 % of PCR tests were positive during 02/08/2026 - 02/14/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

02/01/2026- 02/07/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	3.5%	20
Current Week	4.9%	25

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,904	140 (7.4%)	1,904	140 (7.4%)
2	0	0 (0.0%)	677	1 (0.1%)	677	1 (0.1%)
3	202	5 (2.5%)	344	9 (2.6%)	546	14 (2.6%)
5	0	0 (0.0%)	530	22 (4.2%)	530	22 (4.2%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	812	40 (4.9%)	812	40 (4.9%)
9	11	0 (0.0%)	201	12 (6.0%)	212	12 (5.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 123 hospitalizations have occurred during the 2025-2026 season. There were 25 hospitalizations reported during 02/01/2026 - 02/07/2026. The cumulative hospitalization rate for the 2025-2026 season is 6.8 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	43	50.2
5-17 yrs	2	0.8
18-49 yrs	8	1.0
50-64 yrs	18	5.5
65 yrs+	52	17.4

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.3 % of antigen tests and 5 % of PCR tests were positive during 02/01/2026 - 02/07/2026 .

RSV Surveillance Report

01/25/2026- 01/31/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	3.3%	22
Current Week	3.3%	12

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	2,508	123 (4.9%)	2,508	123 (4.9%)
2	0	0 (0.0%)	576	0 (0.0%)	576	0 (0.0%)
3	185	4 (2.2%)	305	5 (1.6%)	490	9 (1.8%)
5	0	0 (0.0%)	473	9 (1.9%)	473	9 (1.9%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	710	19 (2.7%)	710	19 (2.7%)
9	0	0 (0.0%)	171	3 (1.8%)	171	3 (1.8%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 90 hospitalizations have occurred during the 2025-2026 season. There were 12 hospitalizations reported during 01/25/2026 - 01/31/2026. The cumulative hospitalization rate for the 2025-2026 season is 5 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	29	33.8
5-17 yrs	1	0.4
18-49 yrs	7	0.8
50-64 yrs	13	4.0
65 yrs+	40	13.4

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.2 % of antigen tests and 3.4 % of PCR tests were positive during 01/25/2026 - 01/31/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

01/18/2026- 01/24/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	3.9%	14
Current Week	3.6%	20

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,023	62 (6.1%)	1,023	62 (6.1%)
2	0	0 (0.0%)	474	0 (0.0%)	474	0 (0.0%)
3	0	0 (0.0%)	95	2 (2.1%)	95	2 (2.1%)
5	0	0 (0.0%)	461	14 (3.0%)	461	14 (3.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	655	22 (3.4%)	655	22 (3.4%)
9	0	0 (0.0%)	128	2 (1.6%)	128	2 (1.6%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 76 hospitalizations have occurred during the 2025-2026 season. There were 20 hospitalizations reported during 01/18/2026 - 01/24/2026. The cumulative hospitalization rate for the 2025-2026 season is 4.2 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	25	29.2
5-17 yrs	1	0.4
18-49 yrs	5	0.6
50-64 yrs	10	3.1
65 yrs+	35	11.7

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 3.6 % of PCR tests were positive during 01/18/2026 - 01/24/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

01/11/2026- 01/17/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	3.1%	7
Current Week	3.3%	11

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	471	23 (4.9%)	471	23 (4.9%)
2	0	0 (0.0%)	417	1 (0.2%)	417	1 (0.2%)
3	111	5 (4.5%)	215	5 (2.3%)	326	10 (3.1%)
5	0	0 (0.0%)	266	8 (3.0%)	266	8 (3.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	605	29 (4.8%)	605	29 (4.8%)
9	0	0 (0.0%)	135	3 (2.2%)	135	3 (2.2%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 53 hospitalizations have occurred during the 2025-2026 season. There were 11 hospitalizations reported during 01/11/2026 - 01/17/2026. The cumulative hospitalization rate for the 2025-2026 season is 2.9 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	14	16.3
5-17 yrs	1	0.4
18-49 yrs	3	0.4
50-64 yrs	8	2.4
65 yrs+	27	9.0

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

4.5 % of antigen tests and 3.3 % of PCR tests were positive during 01/11/2026 - 01/17/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

01/04/2026- 01/10/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	2.8%	8
Current Week	3.2%	7

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,721	70 (4.1%)	1,721	70 (4.1%)
2	0	0 (0.0%)	446	1 (0.2%)	446	1 (0.2%)
3	92	1 (1.1%)	92	1 (1.1%)	184	2 (1.1%)
5	0	0 (0.0%)	295	8 (2.7%)	295	8 (2.7%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	621	24 (3.9%)	621	24 (3.9%)
9	0	0 (0.0%)	34	0 (0.0%)	34	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 42 hospitalizations have occurred during the 2025-2026 season. There were 7 hospitalizations reported during 01/04/2026 - 01/10/2026. The cumulative hospitalization rate for the 2025-2026 season is 2.3 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	11	12.8
5-17 yrs	1	0.4
18-49 yrs	2	0.2
50-64 yrs	5	1.5
65 yrs+	23	7.7

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

1.1 % of antigen tests and 3.2 % of PCR tests were positive during 01/04/2026 - 01/10/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

12/28/2025- 01/03/2026


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	2.8%	3
Current Week	2.4%	6

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,825	56 (3.1%)	1,825	56 (3.1%)
2	0	0 (0.0%)	445	0 (0.0%)	445	0 (0.0%)
3	0	0 (0.0%)	91	2 (2.2%)	91	2 (2.2%)
5	0	0 (0.0%)	258	5 (1.9%)	258	5 (1.9%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	34	2 (5.9%)	34	2 (5.9%)
9	6	0 (0.0%)	154	2 (1.3%)	160	2 (1.2%)

Oregon RSV Percent Positivity by Region




RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 33 hospitalizations have occurred during the 2025-2026 season. There were 6 hospitalizations reported during 12/28/2025 - 01/03/2026. The cumulative hospitalization rate for the 2025-2026 season is 1.8 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	10	11.7
5-17 yrs	0	0.0
18-49 yrs	2	0.2
50-64 yrs	4	1.2
65 yrs+	17	5.7

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 2.4 % of PCR tests were positive during 12/28/2025 - 01/03/2026 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

12/21/2025- 12/27/2025


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	2.4%	5
Current Week	3.0%	3

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	415	11 (2.7%)	415	11 (2.7%)
2	0	0 (0.0%)	410	1 (0.2%)	410	1 (0.2%)
3	88	5 (5.7%)	172	6 (3.5%)	260	11 (4.2%)
5	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	550	28 (5.1%)	550	28 (5.1%)
9	5	0 (0.0%)	191	4 (2.1%)	196	4 (2.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 27 hospitalizations have occurred during the 2025-2026 season. There were 3 hospitalizations reported during 12/21/2025 - 12/27/2025. The cumulative hospitalization rate for the 2025-2026 season is 1.5 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	9	10.5
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	3	0.9
65 yrs+	14	4.7

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.4 % of antigen tests and 2.9 % of PCR tests were positive during 12/21/2025 - 12/27/2025.


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

12/14/2025- 12/20/2025


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	2.1%	5
Current Week	2.0%	5

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,386	32 (2.3%)	1,386	32 (2.3%)
2	0	0 (0.0%)	316	0 (0.0%)	316	0 (0.0%)
3	0	0 (0.0%)	57	0 (0.0%)	57	0 (0.0%)
5	0	0 (0.0%)	281	5 (1.8%)	281	5 (1.8%)
6	0	0 (0.0%)	58	1 (1.7%)	58	1 (1.7%)
7	0	0 (0.0%)	522	18 (3.4%)	522	18 (3.4%)
9	0	0 (0.0%)	171	1 (0.6%)	171	1 (0.6%)

Oregon RSV Percent Positivity by Region




RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 24 hospitalizations have occurred during the 2025-2026 season. There were 5 hospitalizations reported during 12/14/2025 - 12/20/2025. The cumulative hospitalization rate for the 2025-2026 season is 1.3 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	9	10.5
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	3	0.9
65 yrs+	11	3.7

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 2 % of PCR tests were positive during 12/14/2025 - 12/20/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

12/07/2025- 12/13/2025


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	0.8%	3
Current Week	2.1%	4

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	779	17 (2.2%)	779	17 (2.2%)
2	9	1 (11.1%)	322	0 (0.0%)	331	1 (0.3%)
3	101	1 (1.0%)	165	2 (1.2%)	266	3 (1.1%)
5	0	0 (0.0%)	222	3 (1.4%)	222	3 (1.4%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	438	21 (4.8%)	438	21 (4.8%)
9	0	0 (0.0%)	178	2 (1.1%)	178	2 (1.1%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 18 hospitalizations have occurred during the 2025-2026 season. There were 4 hospitalizations reported during 12/07/2025 - 12/13/2025. The cumulative hospitalization rate for the 2025-2026 season is 1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	8	9.3
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	3	0.9
65 yrs+	6	2.0

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

1.8 % of antigen tests and 2.1 % of PCR tests were positive during 12/07/2025 - 12/13/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/30/2025- 12/06/2025


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	1.2%	2
Current Week	0.9%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,178	12 (1.0%)	1,178	12 (1.0%)
2	0	0 (0.0%)	316	0 (0.0%)	316	0 (0.0%)
3	0	0 (0.0%)	76	0 (0.0%)	76	0 (0.0%)
5	0	0 (0.0%)	178	0 (0.0%)	178	0 (0.0%)
6	0	0 (0.0%)	46	0 (0.0%)	46	0 (0.0%)
7	0	0 (0.0%)	359	8 (2.2%)	359	8 (2.2%)
9	6	0 (0.0%)	247	1 (0.4%)	253	1 (0.4%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 13 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/30/2025 - 12/06/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.7 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	8	9.3
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	2	0.6
65 yrs+	2	0.7

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 0.9 % of PCR tests were positive during 11/30/2025 - 12/06/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/23/2025- 11/29/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.8%	1
Current Week	1.5%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	512	10 (2.0%)	512	10 (2.0%)
2	0	0 (0.0%)	327	0 (0.0%)	327	0 (0.0%)
3	0	0 (0.0%)	79	0 (0.0%)	79	0 (0.0%)
5	0	0 (0.0%)	197	0 (0.0%)	197	0 (0.0%)
6	0	0 (0.0%)	27	0 (0.0%)	27	0 (0.0%)
7	0	0 (0.0%)	401	15 (3.7%)	401	15 (3.7%)
9	0	0 (0.0%)	168	0 (0.0%)	168	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 11 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/23/2025 - 11/29/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.6 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	8	9.3
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	1	0.3
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 1.5 % of PCR tests were positive during 11/23/2025 - 11/29/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/16/2025- 11/22/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.7%	2
Current Week	0.8%	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	858	10 (1.2%)	858	10 (1.2%)
2	0	0 (0.0%)	361	0 (0.0%)	361	0 (0.0%)
3	0	0 (0.0%)	79	0 (0.0%)	79	0 (0.0%)
5	0	0 (0.0%)	175	1 (0.6%)	175	1 (0.6%)
6	0	0 (0.0%)	40	0 (0.0%)	40	0 (0.0%)
7	0	0 (0.0%)	376	5 (1.3%)	376	5 (1.3%)
9	0	0 (0.0%)	159	0 (0.0%)	159	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 8 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 11/16/2025 - 11/22/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.4 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	6	7.0
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	0	0.0
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0% of antigen tests and 0.8 % of PCR tests were positive during 11/16/2025 - 11/22/2025.

RSV Surveillance Report

11/09/2025- 11/15/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.4%	2
Current Week	0.8%	1


^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	690	10 (1.4%)	690	10 (1.4%)
2	0	0 (0.0%)	313	0 (0.0%)	313	0 (0.0%)
3	0	0 (0.0%)	87	0 (0.0%)	87	0 (0.0%)
5	0	0 (0.0%)	187	0 (0.0%)	187	0 (0.0%)
6	0	0 (0.0%)	52	1 (1.9%)	52	1 (1.9%)
7	0	0 (0.0%)	376	3 (0.8%)	376	3 (0.8%)
9	0	0 (0.0%)	130	0 (0.0%)	130	0 (0.0%)


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 7 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 11/09/2025 - 11/15/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.4 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	5	5.8
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	0	0.0
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.8 % of PCR tests were positive during 11/09/2025 - 11/15/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/02/2025- 11/08/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.1%	1
Current Week	0.4%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	546	6 (1.1%)	546	6 (1.1%)
2	6	0 (0.0%)	338	0 (0.0%)	344	0 (0.0%)
3	97	0 (0.0%)	167	0 (0.0%)	264	0 (0.0%)
5	0	0 (0.0%)	190	0 (0.0%)	190	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	325	1 (0.3%)	325	1 (0.3%)
9	0	0 (0.0%)	135	1 (0.7%)	135	1 (0.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 6 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/02/2025 - 11/08/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.3 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	5	5.8
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.5 % of PCR tests were positive during 11/02/2025 - 11/08/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

10/26/2025- 11/01/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.2%	1
Current Week	0.1%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	360	1 (0.3%)	360	1 (0.3%)
2	3	0 (0.0%)	301	0 (0.0%)	304	0 (0.0%)
3	82	0 (0.0%)	82	0 (0.0%)	164	0 (0.0%)
5	0	0 (0.0%)	156	0 (0.0%)	156	0 (0.0%)
6	0	0 (0.0%)	31	0 (0.0%)	31	0 (0.0%)
7	0	0 (0.0%)	315	0 (0.0%)	315	0 (0.0%)
9	1	0 (0.0%)	118	0 (0.0%)	119	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 4 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/26/2025 - 11/01/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.2 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	3	3.5
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.1 % of PCR tests were positive during 10/26/2025 - 11/01/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/19/2025- 10/25/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.3%	1
Current Week	0.2%	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	549	2 (0.4%)	549	2 (0.4%)
2	0	0 (0.0%)	347	0 (0.0%)	347	0 (0.0%)
3	81	0 (0.0%)	146	0 (0.0%)	227	0 (0.0%)
5	0	0 (0.0%)	145	0 (0.0%)	145	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	365	1 (0.3%)	365	1 (0.3%)
9	10	0 (0.0%)	144	1 (0.7%)	154	1 (0.6%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 2 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 10/19/2025 - 10/25/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 10/19/2025 - 10/25/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/12/2025- 10/18/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.1%	1
Current Week	0.4%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	93	1 (1.1%)	531	3 (0.6%)	624	4 (0.6%)
2	0	0 (0.0%)	368	1 (0.3%)	368	1 (0.3%)
3	85	0 (0.0%)	143	0 (0.0%)	228	0 (0.0%)
5	0	0 (0.0%)	183	0 (0.0%)	183	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	390	2 (0.5%)	390	2 (0.5%)
9	2	0 (0.0%)	132	0 (0.0%)	134	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 2 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/12/2025 - 10/18/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.6 % of antigen tests and 0.3 % of PCR tests were positive during 10/12/2025 - 10/18/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/05/2025- 10/11/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.2%	0
Current Week	0.1%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	499	1 (0.2%)	499	1 (0.2%)
2	0	0 (0.0%)	351	0 (0.0%)	351	0 (0.0%)
3	91	0 (0.0%)	162	0 (0.0%)	253	0 (0.0%)
5	0	0 (0.0%)	147	0 (0.0%)	147	0 (0.0%)
6	0	0 (0.0%)	37	0 (0.0%)	37	0 (0.0%)
7	0	0 (0.0%)	378	0 (0.0%)	378	0 (0.0%)
9	0	0 (0.0%)	112	0 (0.0%)	112	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 1 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/05/2025 - 10/11/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	0	0.0
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.1 % of PCR tests were positive during 10/05/2025 - 10/11/2025.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

09/28/2025- 10/04/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.1%	0
Current Week	0.2%	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	468	2 (0.4%)	468	2 (0.4%)
2	0	0 (0.0%)	364	0 (0.0%)	364	0 (0.0%)
3	89	0 (0.0%)	182	0 (0.0%)	271	0 (0.0%)
5	0	0 (0.0%)	111	0 (0.0%)	111	0 (0.0%)
6	0	0 (0.0%)	40	0 (0.0%)	40	0 (0.0%)
7	0	0 (0.0%)	387	0 (0.0%)	387	0 (0.0%)
9	0	0 (0.0%)	100	2 (2.0%)	100	2 (2.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 0 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 09/28/2025 - 10/04/2025. The cumulative hospitalization rate for the 2025-2026 season is 0 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	0	0
5-17 yrs	0	0
18-49 yrs	0	0
50-64 yrs	0	0
65 yrs+	0	0


Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 09/28/2025 - 10/04/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season